

## ARE YOU READY? PAGE 515

1. D

2. C

3. A

4. E

$$5. \frac{PR}{RT} = \frac{10}{5} = 2; \frac{QR}{RS} = \frac{12}{6} = 2$$

$$\angle PRQ \cong \angle TRS \text{ by Vert. } \angle \text{ Thm.}$$

$$\text{yes; } \triangle PRQ \sim \triangle TRS \text{ by SAS } \sim$$

$$6. \frac{AB}{FE} = \frac{6}{4} = \frac{3}{2}; \frac{BC}{ED} = \frac{15}{10} = \frac{3}{2}$$

$$\angle B \cong \angle E \text{ by Rt. } \angle \text{ Thm.}$$

$$\text{yes; } \triangle ABC \sim \triangle FED \text{ by SAS } \sim$$

7.  $x = 5\sqrt{2}$

$$8. 16 = x\sqrt{2}$$

$$16\sqrt{2} = 2x$$

$$x = 8\sqrt{2}$$

9.  $x = 4\sqrt{3}$

10.  $x = 2(3) = 6$

$$11. 3(x - 1) = 12$$

$$x - 1 = 4$$

$$x = 5$$

$$12. -2(y + 5) = -1$$

$$y + 5 = 0.5$$

$$y = -4.5$$

$$13. 6 = 8(x - 3)$$

$$6 = 8x - 24$$

$$30 = 8x$$

$$x = 3.75$$

$$14. 2 = -1(z + 4)$$

$$2 = -z - 4$$

$$z = -6$$

$$15. \frac{4}{y} = \frac{6}{18}$$

$$\frac{4}{y} = \frac{1}{3}$$

$$4(3) = y(1)$$

$$y = 12$$

$$16. \frac{5}{8} = \frac{x}{32}$$

$$5(32) = 8(x)$$

$$160 = 8x$$

$$x = 20$$

$$17. \frac{m}{9} = \frac{8}{12} = \frac{2}{3}$$

$$3m = 9(2) = 18$$

$$m = 6$$

$$18. \frac{y}{4} = \frac{9}{y}$$

$$y(y) = 4(9)$$

$$y^2 = 36$$

$$y = \pm 6$$

19.  $13.118 \approx 13.12$

20.  $37.91 \approx 37.9$


21.  $15.992 \approx 16.0$

22.  $173.05 \approx 173$

## 8-1 SIMILARITY IN RIGHT TRIANGLES, PAGES 518–523

## CHECK IT OUT!

1. Sketch the 3 rt.
- $\triangle$
- with
- $\angle$
- of
- $\triangle$
- in corr. positions.

By Thm. 8-1-1,  $\triangle LJK \sim \triangle JMK \sim \triangle LMJ$ .

2a.  $x^2 = (2)(8) = 16$   
 $x = 4$

b.  $x^2 = (10)(30) = 300$   
 $x = \sqrt{300} = 10\sqrt{3}$

c.  $x^2 = (8)(9) = 72$   
 $x = \sqrt{72} = 6\sqrt{2}$

3.  $9^2 = (u)(3)$   
 $81 = 3u$   
 $u = 27$

$$v^2 = (3)(3 + u) \quad w^2 = (u)(3 + u)$$

$$v^2 = (3)(30) = 90 \quad w^2 = (27)(30) = 810$$

$$v = \sqrt{90} = 3\sqrt{10} \quad w = \sqrt{810} = 9\sqrt{10}$$

4. Let
- $x$
- be height of cliff above eye level.

$(28)^2 = 5.5x$

$x \approx 142.5 \text{ ft}$

Cliff is about  $142.5 + 5.5$ , or 148 ft high.


## THINK AND DISCUSS

1. Set up the proportion
- $\frac{7}{x} = \frac{x}{21}$
- , and solve for
- $x$
- .

$x^2 = 7(21) = 147$

$x = \sqrt{147} = 7\sqrt{3}$


- 2.




## EXERCISES

## GUIDED PRACTICE

- 8 is geometric mean of 2 and 32.
- Sketch the 3 rt.  $\triangle$  with  $\angle$  of  $\triangle$  in corr. positions.


By Thm. 8-1-1,  $\triangle RPQ \sim \triangle PSQ \sim \triangle RSP$ .

3. Sketch the 3 rt.  $\triangle$  with  $\triangle$  of  $\triangle$  in corr. positions.



By Thm. 8-1-1,  $\triangle BED \sim \triangle ECD \sim \triangle BCE$ .

4. Sketch the 3 rt.  $\triangle$  with  $\triangle$  of  $\triangle$  in corr. positions.



By Thm. 8-1-1,  $\triangle XYZ \sim \triangle XWY \sim \triangle YWZ$ .

5.  $x^2 = (2)(50) = 100$   
 $x = 10$
6.  $x^2 = (4)(16) = 64$   
 $x = 8$
7.  $x^2 = \left(\frac{1}{2}\right)(8) = 4$   
 $x = 2$
8.  $x^2 = (9)(12) = 108$   
 $x = \sqrt{108} = 6\sqrt{3}$
9.  $x^2 = (16)(25) = 400$   
 $x = 20$
10.  $x^2 = (7)(11) = 77$   
 $x = \sqrt{77}$
11.  $x^2 = (10)(6) = 60$   
 $x = \sqrt{60} = 2\sqrt{15}$   
 $z^2 = (10)(4) = 40$   
 $z = \sqrt{40} = 2\sqrt{10}$
12.  $10^2 = 100 = 20x$   
 $x = 5$   
 $y^2 = (20)(20 + 5) = 500$   
 $y = \sqrt{500} = 10\sqrt{5}$   
 $z^2 = (5)(20 + 5) = 125$   
 $z = \sqrt{125} = 5\sqrt{5}$
13.  $(6\sqrt{13})^2 = (18)(18 + z)$   
 $468 = 324 + 18z$   
 $144 = 18z$   
 $z = 8$   
 $y^2 = (8)(18 + 8) = 208$   
 $y = \sqrt{208} = 4\sqrt{13}$
14.  $RS^2 = (64)(60) = 3840$   
 $RS = \sqrt{3840} \approx 62.0$

#### PRACTICE AND PROBLEM SOLVING

15. By Thm. 8-1-1,  $\triangle MPN \sim \triangle PQN \sim \triangle MQP$ .
16. By Thm. 8-1-1,  $\triangle CAB \sim \triangle ADB \sim \triangle CDA$ .
17. By Thm. 8-1-1,  $\triangle RSU \sim \triangle RTS \sim \triangle STU$ .
18.  $x^2 = (5)(45) = 225$   
 $x = 15$
19.  $x^2 = (3)(15) = 45$   
 $x = 3\sqrt{5}$
20.  $x^2 = (5)(8) = 40$   
 $x = 2\sqrt{10}$
21.  $x^2 = \left(\frac{1}{4}\right)(80) = 20$   
 $x = 2\sqrt{5}$
22.  $x^2 = (1.5)(12) = 18$   
 $x = 3\sqrt{2}$
23.  $x^2 = \left(\frac{2}{3}\right)\left(\frac{27}{40}\right) = \frac{9}{20}$   
 $x = \frac{3}{2\sqrt{5}} = \frac{3\sqrt{5}}{10}$
24.  $12^2 = 4(4 + x)$   
 $144 = 16 + 4x$   
 $128 = 4x$   
 $x = 32$   
 $z^2 = 32(4 + 32) = 1152$   
 $z = 24\sqrt{2}$
25.  $x^2 = (30)(40) = 1200$   
 $x = 20\sqrt{3}$   
 $y^2 = (30)(70) = 2100$   
 $y = 10\sqrt{21}$   
 $z^2 = (70)(40) = 2800$   
 $z = 20\sqrt{7}$
26.  $9.6^2 = (z)(12.8)$   
 $92.16 = 12.8z$   
 $z = 7.2$   
 $y^2 = (12.8)(12.8 + 7.2) = 256$   
 $y = 16$   
 $x^2 = (7.2)(12.8 + 7.2) = 144$   
 $x = 12$
27. Let  $h$  represent height of tower above eye level.  
 $91 \text{ ft } 3 \text{ in.} = 91.25 \text{ ft}$   
 $(91.25)^2 = 5h$   
 $h \approx 1665 \text{ ft}$   
Tower is about  $1665 + 5 = 1670 \text{ ft}$  high.
28.  $8^2 = 64 = 2x$   
 $x = 32$
29.  $(2\sqrt{5})^2 = 20 = 6x$   
 $x = \frac{10}{3} = 3\frac{1}{3}$
30.  $y, \frac{x}{z} = \frac{z}{y}$
31.  $x + y, \frac{x + y}{u} = \frac{u}{x}$
32.  $y, \frac{x + y}{v} = \frac{v}{y}$
33.  $z, \frac{y}{z} = \frac{z}{x}$
34.  $v, v^2 = y(x + y)$
35.  $x, u^2 = (x + y)x$
36.  $BD^2 = (AD)(CD)$   
 $= (12)(8) = 96$   
 $BD = 4\sqrt{6}$
37.  $BC^2 = (AC)(CD)$   
 $= (16)(5) = 80$   
 $BC = 4\sqrt{5}$

$$\begin{aligned}
 38. \quad BD^2 &= (AC)(CD) & 39. \quad BC^2 &= (AC)(CD) \\
 &= (\sqrt{2})(\sqrt{2}) = 2 & 5 &= CD\sqrt{10} \\
 BD &= \sqrt{2} & 5\sqrt{10} &= 10CD \\
 & & CD &= \frac{\sqrt{10}}{2}
 \end{aligned}$$

$$40. \quad \sqrt{(0.1)(0.03)} \times 100\% \approx 5.5\%$$

$$41. \quad B \text{ is incorrect; proportion should be } \frac{12}{EF} = \frac{EF}{8}.$$

$$\begin{aligned}
 42. \quad a^2 &= (2)(5) = 10 \\
 a &= \sqrt{10} \approx 3.2 \\
 \text{Altitude is about 3.2 cm long.}
 \end{aligned}$$

$$\begin{aligned}
 43. \quad &\text{By Corollary 8-1-3, } a^2 = x(x+y) \text{ and } b^2 = y(x+y). \\
 &\text{So } a^2 + b^2 = x(x+y) + y(x+y). \text{ By Distrib. Prop.,} \\
 &\text{this expression simplifies to} \\
 &(x+y)(x+y) = (x+y)^2 = c^2. \text{ So } a^2 + b^2 = c^2.
 \end{aligned}$$

$$\begin{aligned}
 44a. \quad SW^2 &= (RS)(ST) = (4)(3) = 12 \\
 SW &= \sqrt{12} \approx 3.46 \text{ ft, or 3 ft 6 in.}
 \end{aligned}$$

$$\begin{aligned}
 b. \quad RW^2 &= (RS)(RT) = (4)(7) = 28 \\
 RW &= \sqrt{28} \approx 5.29 \text{ ft, or 5 ft 3 in.}
 \end{aligned}$$

$$45. \quad \text{Area of rect. is } ab, \text{ and area of square is } s^2. \text{ It is given that } s^2 = ab, \text{ so } s \text{ is geometric mean of } a \text{ and } b.$$

$$\begin{aligned}
 46. \quad &\text{Let } z \text{ be geometric mean of } x \text{ and } y, \text{ where } x = a^2 \\
 &\text{and } y = b^2. \text{ So } z = \sqrt{a^2 b^2} = ab, \text{ which is a whole number.}
 \end{aligned}$$

#### TEST PREP

$$\begin{aligned}
 47. \quad D \\
 XY^2 &= (8)(11) = 88 \\
 XY &\approx 9.4 \text{ ft}
 \end{aligned}$$

$$\begin{aligned}
 48. \quad H \\
 BD^2 &= (9)(4) = 36 \\
 BD &= 6 \\
 \text{Area} &= \frac{1}{2}(BD)(AC) \\
 &= \frac{1}{2}(6)(13) = 39 \text{ m}^2
 \end{aligned}$$

$$\begin{aligned}
 49. \quad A \\
 RS^2 &= (1)(y+1) = y+1 \\
 RS &= \sqrt{y+1}
 \end{aligned}$$

#### CHALLENGE AND EXTEND

$$\begin{aligned}
 50. \quad &\text{Let } x \text{ be length of shorter seg.} \\
 8^2 &= (x)(4x) = 4x^2 \\
 8 &= \sqrt{4x^2} = 2x \\
 x &= 4 \\
 \text{Lengths of segs. are 4 in. and } 4(4) &= 16 \text{ in.}
 \end{aligned}$$

$$\begin{aligned}
 51. \quad (2\sqrt{21})^2 &= (x)(x+5) \\
 84 &= x^2 + 5x \\
 0 &= x^2 + 5x - 84 \\
 0 &= (x-7)(x+12) \\
 x &= 7 \text{ (since } x > 0)
 \end{aligned}$$

$$\begin{aligned}
 y^2 &= (7)(5) = 35 \\
 y &= \sqrt{35} \\
 z^2 &= 5(5+7) = 60 \\
 z &= 2\sqrt{15}
 \end{aligned}$$

$$\begin{aligned}
 52. \quad &\text{Let } AD = DC = a. \text{ By Corollary 8-1-3, } AB^2 = \\
 &(a)(2a) = 2a^2, \text{ and } BC^2 = (a)(2a) = 2a^2. \text{ So} \\
 &AB = BC = a\sqrt{2}. \text{ Therefore } \triangle ABC \text{ is isosc., so it is} \\
 &\text{a } 45^\circ\text{-}45^\circ\text{-}90^\circ \triangle.
 \end{aligned}$$

$$\begin{aligned}
 53. \quad \text{Step 1} \quad &\text{Apply Cor. 8-1-3 in } \triangle BDE \text{ to find } BF \text{ and } BD. \\
 EF^2 &= (BF)(FD) \\
 3.28^2 &= 4.86BF \\
 BF &\approx 2.214 \\
 BD &\approx 7.074
 \end{aligned}$$

$$\begin{aligned}
 \text{Step 2} \quad &\text{Apply Cor. 8-1-3 in } \triangle BDE \text{ to find } BE. \\
 BE^2 &= (BF)(BD) \approx 15.662 \\
 BE &\approx 3.958
 \end{aligned}$$

$$\begin{aligned}
 \text{Step 3} \quad &\text{Apply Cor. 8-1-3 in } \triangle BCD \text{ to find } BC. \\
 BD^2 &= (BE)(BC) \\
 7.074^2 &\approx 3.958BC \\
 BC &\approx 12.643
 \end{aligned}$$

$$\begin{aligned}
 \text{Step 4} \quad &\text{Apply Cor. 8-1-3 in } \triangle BCD \text{ to find } CD. \\
 CD^2 &= (BC)(EC) \approx 109.806 \\
 CD &\approx 10.479
 \end{aligned}$$

$$\begin{aligned}
 \text{Step 5} \quad &\text{Apply Cor. 8-1-3 in } \triangle ABC \text{ to find } AC. \\
 BC^2 &= (AC)(CD) \\
 12.643^2 &\approx 10.479AC \\
 AC &\approx 15.26 \text{ cm}
 \end{aligned}$$


$$\begin{aligned}
 \text{Step 6} \quad &\text{Apply Pyth. Thm. in } \triangle ABD \text{ to find } AB. \\
 AB^2 &= BD^2 + AD^2 \\
 AB^2 &\approx 7.07^2 + (15.26 - 10.48)^2 \\
 AB &\approx 8.53 \text{ cm}
 \end{aligned}$$

#### SPIRAL REVIEW


$$\begin{array}{ll}
 54. \quad \text{at } x\text{-intercept, } y = 0 & \text{at } y\text{-intercept, } x = 0 \\
 3(0) + 4 = 4 = 6x & 3y + 4 = 6(0) \\
 x = \frac{4}{6} = \frac{2}{3} & 3y = -4 \\
 & y = -\frac{4}{3}
 \end{array}$$

$$\begin{array}{ll}
 55. \quad \text{at } x\text{-intercept, } y = 0 & \text{at } y\text{-intercept, } x = 0 \\
 x + 4 = 2(0) & 0 + 4 = 2y \\
 x = -4 & y = 2
 \end{array}$$


$$\begin{array}{ll}
 56. \quad \text{at } x\text{-intercept, } y = 0 & \text{at } y\text{-intercept, } x = 0 \\
 3(0) - 15 = -15 = 15x & 3y - 15 = 15(0) \\
 x = -1 & 3y = 15 \\
 & y = 5
 \end{array}$$



$$c = 2(3) = 6$$



$$c = 2(7) = 14$$



$$c = 2(2) = 4$$

60.  $\angle DEC$  is a rt.  $\angle$ , so  $30y = 90 \rightarrow y = 3$   
 $m\angle EDC = 8(3) + 15 = 39^\circ$

61.  $\overrightarrow{DB}$  bisects  $\angle ADC$ , so  $m\angle EDA = m\angle EDC = 39^\circ$

62.  $AB = BC$   
 $2x + 8 = 4x$   
 $8 = 2x$   
 $x = 4$   
 $AB = 2(4) + 8 = 16$


## 8-2 TRIGONOMETRIC RATIOS, PAGES 525–532

### CHECK IT OUT!

1a.  $\cos A = \frac{24}{25} = 0.96$

b.  $\tan B = \frac{24}{7} \approx 3.43$

c.  $\sin B = \frac{24}{25} = 0.96$



3a.

$$\tan 11^\circ \approx 0.19$$

b.

$$\sin 62^\circ \approx 0.88$$

c.

$$\cos 30^\circ \approx 0.87$$

4a.  $\overline{DF}$  is the hyp. Given:  $EF$ , opp. to given  $\angle D$ . Since opp. side and hyp. are involved, use a sine ratio.

$$\sin D = \frac{\text{opp. leg}}{\text{hyp.}} = \frac{EF}{DF}$$

$$\sin 51^\circ = \frac{17}{DF}$$

$$DF = \frac{17}{\sin 51^\circ} \approx 21.87 \text{ m}$$

b.  $\overline{ST}$  is adj. to the given  $\angle$ . Given:  $TU$ , the hyp. Since adj. side and hyp. are involved, use a cosine ratio.

$$\cos T = \frac{\text{adj. leg}}{\text{hyp.}} = \frac{ST}{TU}$$

$$\cos 42^\circ = \frac{ST}{9.5}$$

$$9.5(\cos 42^\circ) = ST$$

$$ST \approx 7.06 \text{ in.}$$

c.  $\overline{BC}$  is adj. to the given  $\angle$ . Given:  $AC$ , opp.  $\angle B$ . Since opp. side and adj. side are involved, use a tangent ratio.

$$\tan B = \frac{\text{opp. leg}}{\text{adj. leg}} = \frac{AC}{BC}$$

$$\tan 18^\circ = \frac{12}{BC}$$

$$BC = \frac{12}{\tan 18^\circ} \approx 36.93 \text{ ft}$$

d.  $\overline{JL}$  is opp. the given  $\angle$ . Given:  $KL$ , the hyp. Since opp. side and hyp. are involved, use a sine ratio.

$$\sin K = \frac{\text{opp. leg}}{\text{hyp.}} = \frac{JL}{KL}$$

$$\sin 27^\circ = \frac{JL}{13.6}$$

$$13.6(\sin 27^\circ) = JL$$

$$JL \approx 6.17 \text{ cm}$$

### 5. 1 Understand the Problem

Make a sketch. The **answer** is  $AC$ .

### 2 Make a Plan

$\overline{AC}$  is the hyp. You are given  $AB$ , the leg opp.  $\angle C$ . Since opp. leg and hyp. are involved, write an equation using a sine ratio.

### 3 Solve

$$\sin C = \frac{AB}{AC}$$

$$\sin 4.8^\circ = \frac{1.2}{AC}$$

$$AC = \frac{1.2}{\sin 4.8^\circ} \approx 14.34 \text{ ft}$$

### 4 Look Back

Problem asks for  $AC$  rounded to nearest hundredth, so round the length to 14.34. Length  $AC$  of ramp is 14.34 ft.

### THINK AND DISCUSS

1. Solve  $\sin 32^\circ = \frac{4}{AB}$ .

2. Solve  $\cos 32^\circ = \frac{6.4}{AB}$ .

| 3. | Abbreviation                                     | Words                                                                                                | Diagram |
|----|--------------------------------------------------|------------------------------------------------------------------------------------------------------|---------|
|    | $\sin = \frac{\text{opp. leg}}{\text{hyp.}}$     | The sine of an $\angle$ is the ratio of the length of the opp. leg to the length of the hyp.         |         |
|    | $\cos = \frac{\text{adj. leg}}{\text{hyp.}}$     | The cosine of an $\angle$ is the ratio of the length of the adj. leg to the length of the hyp.       |         |
|    | $\tan = \frac{\text{opp. leg}}{\text{adj. leg}}$ | The tangent of an $\angle$ is the ratio of the length of the opp. leg to the length of the adj. leg. |         |

## EXERCISES

### GUIDED PRACTICE

1.  $\sin J = \frac{LK}{JL}$

2.  $\tan N = \frac{MP}{MN}$

3.  $\sin C = \frac{4}{5} = 0.80$


4.  $\tan A = \frac{3}{4} = 0.75$

5.  $\cos A = \frac{4}{5} = 0.80$

6.  $\cos C = \frac{3}{5} = 0.60$


7.  $\tan C = \frac{4}{3} \approx 1.33$

8.  $\sin A = \frac{3}{5} = 0.60$



$\cos 60^\circ = \frac{x}{2x} = \frac{1}{2}$

10.  $\tan 30^\circ = \frac{x}{x\sqrt{3}} = \frac{\sqrt{3}}{3}$



$\sin 45^\circ = \frac{s}{s\sqrt{2}} = \frac{\sqrt{2}}{2}$

12.

$\tan 67^\circ \approx 2.36$

13.

$\sin 23^\circ \approx 0.39$

14.

$\sin 49^\circ \approx 0.75$

15.

$\cos 88^\circ \approx 0.03$

16.

$\cos 12^\circ \approx 0.98$

17.

$\tan 9^\circ \approx 0.16$

18.  $\overline{BC}$  is opp. the given  $\angle$ . Given:  $AC$ , the hyp. Since opp. side and hyp. are involved, use a sine ratio.

$$\sin A = \frac{\text{opp. leg}}{\text{hyp.}} = \frac{BC}{AC}$$

$$\sin 23^\circ = \frac{BC}{4}$$

$$4(\sin 23^\circ) = BC$$

$$BC \approx 1.56 \text{ in.}$$

19.  $\overline{QR}$  is opp. the given  $\angle$ . Given:  $PQ$ , adj. to given  $\angle$ . Since opp. and adj. sides are involved, use a tangent ratio.

$$\tan P = \frac{\text{opp. leg}}{\text{adj. leg}} = \frac{QR}{PQ}$$

$$\tan 50^\circ = \frac{QR}{8.1}$$

$$8.1(\tan 50^\circ) = QR$$

$$QR \approx 9.65 \text{ m}$$

20.  $\overline{KL}$  is adj. to the given  $\angle$ . Given:  $JL$ , the hyp. Since adj. side and hyp. are involved, use a cosine ratio.

$$\cos L = \frac{\text{adj. leg}}{\text{hyp.}} = \frac{KL}{JL}$$

$$\cos 61^\circ = \frac{KL}{2.5}$$

$$2.5(\cos 61^\circ) = KL$$

$$KL \approx 1.21 \text{ cm}$$

### 21. 1 Understand the Problem

The **answer** is  $XY$ , opp. the given  $\angle$ .

### 2 Make a Plan

You are given  $WZ$ , which is twice  $WY$ , the leg adj. to  $\angle W$ . First, calculate  $WY$ . Then, since opp. and adj. legs are involved, write an equation using a tangent ratio.

### 3 Solve

$$WY = \frac{1}{2}WZ$$

$$= \frac{1}{2}(56) = 28 \text{ ft}$$

$$\tan W = \frac{XY}{WY}$$

$$\tan 15^\circ = \frac{XY}{28}$$

$$XY = 28(\tan 15^\circ) \approx 7.5028 \text{ ft}$$

### 4 Look Back

Problem asks for  $XY$  rounded to nearest inch.

Height  $XY$  of pediment is 7 ft 6 in.

### PRACTICE AND PROBLEM SOLVING

22.  $\cos D = \frac{8}{17} \approx 0.47$


23.  $\tan D = \frac{15}{8} \approx 1.88$

24.  $\tan F = \frac{8}{15} \approx 0.53$

25.  $\cos F = \frac{15}{17} \approx 0.88$


26.  $\sin F = \frac{8}{17} \approx 0.47$

27.  $\sin D = \frac{15}{17} \approx 0.88$



$$\tan 60^\circ = \frac{x\sqrt{3}}{x} = \sqrt{3}$$

29.  $\sin 30^\circ = \frac{x}{2x} = \frac{1}{2}$

30.   $\cos 45^\circ = \frac{s}{s\sqrt{2}} = \frac{\sqrt{2}}{2}$

31.  $\tan 51^\circ \approx 1.23$

33.  $\cos 77^\circ \approx 0.22$

35.  $\sin 55^\circ \approx 0.82$


37.  $PQ = 11 \sin 19^\circ$   
 $\approx 3.58 \text{ cm}$


39.  $\sin 34^\circ = \frac{11}{GH}$   
 $GH = \frac{11}{\sin 34^\circ}$   
 $\approx 19.67 \text{ ft}$

41.  $\tan 61^\circ = \frac{9.5}{KL}$   
 $KL = \frac{9.5}{\tan 61^\circ}$   
 $\approx 5.27 \text{ ft}$

43.  $\sin 15^\circ = \frac{1.58}{\ell}$   
 $\ell = \frac{1.58}{\sin 15^\circ} \approx 6.10 \text{ m}$

44. If  $a$  and  $b$  are opp. and adj. leg lengths,  
 $\tan(m\angle) = \frac{a}{b} = 1$   
 $a = b$   
 $\triangle$  is  $45^\circ$ - $45^\circ$ - $90^\circ$ , so  $m\angle = 45^\circ$

45.   $\sin 45^\circ = \frac{s}{s\sqrt{2}} = \cos 45^\circ$   
So sine and cosine ratios are =.

46.   $\sin 30^\circ = \frac{x}{2x} = \frac{1}{2}$   
Sine of a  $30^\circ$   $\angle$  is 0.5.

47.  $\cos 30^\circ = \frac{x\sqrt{3}}{2x} = \sin 60^\circ$   
 $\cos 30^\circ = \text{sine of a } 60^\circ \angle$

48.  $h = 10 \sin 75.5^\circ \approx 9.7 \text{ ft}$

49.  $BC = AD$   
 $= 3 \tan(90 - 68)^\circ$   
 $\approx 1.2 \text{ ft}$


50.  $SU = \frac{RS}{\cos 49^\circ}$   
 $= \frac{UT}{\cos 49^\circ}$   
 $= \frac{9.4}{\cos 49^\circ} \approx 14.3 \text{ in.}$

51. The tangent ratio is  $< 1$  for  $\triangle$  measuring  $< 45^\circ$  and  $> 1$  for  $\triangle$  measuring  $> 45^\circ$ . In a  $45^\circ$ - $45^\circ$ - $90^\circ$   $\triangle$ , both legs have same length, so  $\tan 45^\circ = 1$ . If the acute  $\angle$  measure increases, opp. leg length also increases, so tangent ratio is  $> 1$ . If the acute  $\angle$  measure decreases, the opp. leg length also decreases, so tangent ratio is  $< 1$ .


52a.  $AC = \frac{AB}{\sin C}$   
 $= \frac{25}{\sin 65^\circ}$   
 $\approx 27.58 \text{ ft}$   
 $\approx 27 \text{ ft } 7 \text{ in.}$

b.  $AD = AB \sin \angle ABD$   
 $= 25 \sin(90 - 28)^\circ$   
 $\approx 22.07 \text{ ft}$   
 $\approx 22 \text{ ft } 1 \text{ in.}$

53. From diagram,  
 $\sin A = \frac{3}{5} = 0.6$ .



54. From diagram,  
 $\tan D = \frac{24}{7} \approx 3.43$ .



55. Let 1 face be  $\triangle ABC$  with  $A$  the apex; let  $M$  be mdpt. of  $\overline{BC}$ .  
 $BC = 2BM$   
 $= \frac{2h}{\tan 52^\circ}$   
 $= \frac{2(482)}{\tan 52^\circ} \approx 753 \text{ ft}$


56a, b. Check students' work.

c.  $20^\circ$

d.  $\sin 20^\circ = 0.34$   
 $\cos 20^\circ = 0.94$   
 $\tan 20^\circ = 0.36$

e. Values in part d should be close to estimate-based values in part b.

57a.  $\tan 30^\circ = \frac{x}{x\sqrt{3}} = \frac{\sqrt{3}}{3}$   
 $\sin 30^\circ = \frac{x}{2x} = \frac{1}{2}$   
 $\cos 30^\circ = \frac{x\sqrt{3}}{2x} = \frac{\sqrt{3}}{2}$   
 $\frac{\frac{1}{2}}{\frac{\sqrt{3}}{2}} = \frac{1}{\sqrt{3}} = \frac{\sqrt{3}}{3}$   
So  $\tan 30^\circ = \frac{\sin 30^\circ}{\cos 30^\circ}$



b.  $\tan A = \frac{a}{b}$ ,  $\sin A = \frac{a}{c}$ ,  $\cos A = \frac{b}{c}$

c.  $\frac{\sin A}{\cos A} = \frac{\frac{a}{c}}{\frac{b}{c}} = \frac{a}{c} \cdot \frac{c}{b} = \frac{a}{b} = \tan A$

58.  $(\sin 45^\circ)^2 + (\cos 45^\circ)^2 = \left(\frac{\sqrt{2}}{2}\right)^2 + \left(\frac{\sqrt{2}}{2}\right)^2$   
 $= \frac{2}{4} + \frac{2}{4} = 1$

$$59. (\sin 30^\circ)^2 + (\cos 30^\circ)^2 = \left(\frac{1}{2}\right)^2 + \left(\frac{\sqrt{3}}{2}\right)^2 \\ = \frac{1}{4} + \frac{3}{4} = 1$$

$$60. (\sin 60^\circ)^2 + (\cos 60^\circ)^2 = \left(\frac{\sqrt{3}}{2}\right)^2 + \left(\frac{1}{2}\right)^2 \\ = \frac{3}{4} + \frac{1}{4} = 1$$

$$61a. \sin A = \frac{a}{c}, \cos A = \frac{b}{c}$$

$$b. (\sin A)^2 + (\cos A)^2 = \left(\frac{a}{c}\right)^2 + \left(\frac{b}{c}\right)^2 \\ = \frac{a^2 + b^2}{c^2} \\ = \frac{c^2}{c^2} = 1$$

c. Derivation of identity uses fact that in a rt.  $\triangle$ ,  $a^2 + b^2 = c^2$ , which is Pyth. Thm.  
 $\sin A = \frac{BC}{AB}$ ;  $\cos B = \frac{BC}{AB}$ ;  $\sin A = \cos B$ ;  
 $\angle A$  and  $\angle B$  are comp.; the sine of an  $\angle$  is equal to the cosine of its comp.

$$62. P = 2 + 2 \tan 24^\circ + 2/\cos 24^\circ \approx 5.08 \text{ m} \\ A = \frac{1}{2}(2)(2 \tan 24^\circ) \approx 0.89 \text{ m}^2$$

$$63. P = 7.2 + \frac{7.2}{\cos 51^\circ} + \frac{7.2}{\cos 51^\circ} \approx 18.64 \text{ cm} \\ A = \frac{1}{2}(7.2)\left(\frac{7.2}{2} \tan 51^\circ\right) \approx 16.00 \text{ cm}^2$$

$$64. P = 4 + \frac{4}{\sin 58^\circ} + \frac{4}{\tan 58^\circ} \approx 11.22 \text{ ft} \\ A = \frac{1}{2}(4)\left(\frac{4}{\tan 58^\circ}\right) \approx 5.00 \text{ ft}^2$$

$$65. P = 10 + 10 \sin 72^\circ + 10 \cos 72^\circ \approx 22.60 \text{ in.} \\ A = \frac{1}{2}(10 \sin 72^\circ)(10 \cos 72^\circ) \approx 14.69 \text{ in.}^2$$

66.  $\sin A = \frac{BC}{AB}$ ;  $\cos B = \frac{BC}{AB}$ ;  $\sin A = \cos B$ ;  $\angle A$  and  $\angle B$  are comp.; sine of an  $\angle$  is = to cosine of its comp.

67. Tangent of an acute  $\angle$  increases as measure of the  $\angle$  increases.

#### TEST PREP

68. A

$$69. H \quad 17 \tan 65^\circ \approx 36 \text{ ft} \quad 70. C \quad \cos N = \frac{NP}{MN} = \sin M$$

#### CHALLENGE AND EXTEND

$$71. \quad AB \tan A = BC \\ (4x) \tan 42^\circ = 3x + 3 \\ (4 \tan 42^\circ - 3)(x) = 3 \\ x = \frac{3}{4 \tan 42^\circ - 3} \approx 5 \\ AB \approx 4(5) \approx 20 \\ BC \approx 3(5) + 3 \approx 18 \\ AC \approx \sqrt{20^2 + 18^2} \approx 27$$

$$72. \quad AC \cos A = AB \\ (15x) \cos 21^\circ = 5x + 27 \\ (15 \cos 21^\circ - 5)(x) = 27 \\ x = \frac{27}{15 \cos 21^\circ - 5} \approx 3$$

$$AB \approx 5(3) + 27 \approx 42 \\ AC \approx 15(3) \approx 45 \\ BC \approx \sqrt{45^2 - 42^2} \approx 16$$

$$73. (\tan A)^2 + 1 = \left(\frac{\sin A}{\cos A}\right)^2 + 1 \\ = \frac{(\sin A)^2 + (\cos A)^2}{(\cos A)^2} \\ = \frac{1}{(\cos A)^2}$$

74. Int.  $\angle$  of a reg. pentagon measure


$$\left(\frac{5-2}{5}\right)(180) = 108^\circ.$$

In the diagram,

$$m\angle 1 = \frac{1}{2}(108) = 54^\circ.$$

Therefore,

$$r = \frac{0.5}{\cos 54^\circ} \approx 0.85 \text{ in.}$$



$$75. \csc Y = \frac{1}{\sin Y} \\ = \frac{1}{\frac{YZ}{XZ}} \\ = \frac{XZ}{YZ} \\ = \frac{5}{4} = 1.25$$

$$76. \sec Z = \frac{1}{\cos Z} \\ = \frac{1}{\frac{XZ}{YZ}} \\ = \frac{YZ}{XZ} \\ = \frac{5}{4} = 1.25$$

$$77. \cot Y = \frac{1}{\tan Y} \\ = \frac{1}{\frac{XZ}{XY}} \\ = \frac{XY}{XZ} \\ = \frac{3}{4} = 0.75$$

#### SPIRAL REVIEW

78.–80. Possible answers given.

78.  $(-3, -15)$ ,  $(-1, -9)$ ,  $(0, -6)$

79.  $(-2, 11)$ ,  $(0, 10)$ ,  $(2, 9)$  80.  $(-2, 14)$ ,  $(0, 2)$ ,  $(4, 2)$

81. Trans. Prop. of  $\cong$  82. Reflex. Prop. of  $\cong$

83. Symm. Prop. of  $\cong$  84.  $\sqrt{3 \cdot 27} = \sqrt{81} = 9$

85.  $\sqrt{6 \cdot 24} = \sqrt{144} = 12$  86.  $\sqrt{8 \cdot 32} = \sqrt{256} = 16$

### 8-3 SOLVING RIGHT TRIANGLES, PAGES 534–541

#### CHECK IT OUT! PAGES 534–536

1a.  $\frac{14.4}{30.6} = \frac{8}{17} = \sin A$   
 $\rightarrow \angle A$  is  $\angle 2$

2a.  $\tan^{-1}(0.75) \approx 37^\circ$

b.  $\frac{27}{14.4} = 1.875 = \tan A$   
 $\rightarrow \angle A$  is  $\angle 1$

c.  $\sin^{-1}(0.67) \approx 42^\circ$


3.  $DF = \frac{DE}{\sin F}$   
 $= \frac{14}{\sin 58^\circ} \approx 16.51$   
 $EF = \frac{DE}{\tan F}$   
 $= \frac{14}{\tan 58^\circ} \approx 8.75$   
 Acute  $\angle$ s of a rt.  $\triangle$  are comp. So,  
 $m\angle D = 90 - 58 = 32^\circ$

4. **Step 1** Find side lengths.

Plot pts.  $R$ ,  $S$ , and  $T$ .

$RS = 7$   $ST = 7$

$RT = \sqrt{(-3 - 4)^2 + (5 + 2)^2}$   
 $= \sqrt{(-7)^2 + 7^2}$   
 $= \sqrt{98} \approx 9.90$



**Step 2** Find  $\angle$  measures.


$m\angle S = 90^\circ$

$m\angle R = \tan^{-1}\left(\frac{7}{7}\right) = 45^\circ$

$m\angle T = 90 - 45 = 45^\circ$

5.  $38\% = \frac{38}{100}$

A 38% grade means Baldwin St. rises 38 ft for every 100 ft of horiz. dist.



$m\angle D = \tan^{-1}\left(\frac{38}{100}\right) \approx 21^\circ$

#### THINK AND DISCUSS

1. Find  $RS$  using Pyth. Thm. Then find  $m\angle R$  using

$m\angle R = \sin^{-1}\left(\frac{3.5}{4.1}\right)$ , and find  $m\angle T$  using either

$m\angle T = \cos^{-1}\left(\frac{3.5}{4.1}\right)$  or  $m\angle T = 90 - m\angle R$ .

2.  $\cos^{-1}(0.35) = m\angle Z$

|         | Trigonometric Ratio    | Inverse Trigonometric Function                  |
|---------|------------------------|-------------------------------------------------|
| Sine    | $\sin A = \frac{3}{5}$ | $\sin^{-1}\left(\frac{3}{5}\right) = m\angle A$ |
| Cosine  | $\cos A = \frac{4}{5}$ | $\cos^{-1}\left(\frac{4}{5}\right) = m\angle A$ |
| Tangent | $\tan A = \frac{3}{4}$ | $\tan^{-1}\left(\frac{3}{4}\right) = m\angle A$ |

#### EXERCISES

##### GUIDED PRACTICE

1.  $\frac{8}{10} = \frac{4}{5} = \sin A$   
 $\rightarrow \angle A$  is  $\angle 1$

2.  $\frac{8}{6} = 1\frac{1}{3} = \tan A$   
 $\rightarrow \angle A$  is  $\angle 1$

3.  $\frac{6}{10} = 0.6 = \cos A$   
 $\rightarrow \angle A$  is  $\angle 1$

4.  $\frac{8}{10} = 0.8 = \cos A$   
 $\rightarrow \angle A$  is  $\angle 2$

5.  $\frac{6}{8} = 0.75 = \tan A$   
 $\rightarrow \angle A$  is  $\angle 2$

6.  $\frac{6}{10} = 0.6 = \sin A$   
 $\rightarrow \angle A$  is  $\angle 2$

7.  $\tan^{-1}(2.1) \approx 65^\circ$

8.  $\cos^{-1}\left(\frac{1}{3}\right) \approx 71^\circ$

9.  $\cos^{-1}\left(\frac{5}{6}\right) \approx 34^\circ$

10.  $\sin^{-1}(0.5) = 30^\circ$

11.  $\sin^{-1}(0.61) \approx 38^\circ$

12.  $\tan^{-1}(0.09) \approx 5^\circ$

13.  $\tan P = \frac{3.1}{8.9}$   
 $m\angle P = \tan^{-1}\left(\frac{3.1}{8.9}\right) \approx 19^\circ$

Acute  $\angle$ s of a rt.  $\triangle$  are comp. So  
 $m\angle R \approx 90 - 19 \approx 71^\circ$ .

$RP = \frac{3.1}{\sin P}$   
 $= \frac{3.1}{\sin\left(\tan^{-1}\left(\frac{3.1}{8.9}\right)\right)} \approx 9.42$

14.  $AB = 7.4 \cos 32^\circ \approx 6.28$

$BC = 7.4 \sin 32^\circ \approx 3.92$

Acute  $\angle$ s of a rt.  $\triangle$  are comp. So  
 $m\angle C = 90 - 32 = 58^\circ$ .



15. By Pyth. Thm.,

$$YZ = \sqrt{11^2 + 8.6^2} \\ = \sqrt{194.96} \approx 13.96$$

$$\tan Y = \frac{8.6}{11}$$

$$m\angle Y = \tan^{-1}\left(\frac{8.6}{11}\right) \approx 38^\circ$$

$$\tan Z = \frac{11}{8.6}$$


$$m\angle Z = \tan^{-1}\left(\frac{11}{8.6}\right) \approx 52^\circ$$

16. Step 1 Find side lengths.

Plot pts. D, E, and F.

$$DE = 3 \quad EF = 6$$

$$DF = \sqrt{(-2 - 4)^2 + (-2 - 1)^2} \\ = \sqrt{(-6)^2 + (-3)^2} \\ = \sqrt{45} \approx 6.71$$



**Step 2** Find  $\angle$  measures.

$$m\angle E = 90^\circ$$

$$m\angle D = \tan^{-1}\left(\frac{6}{3}\right) \approx 63^\circ$$


$$m\angle F \approx 90 - 63 \approx 27^\circ$$

17. Step 1 Find side lengths.

Plot pts. R, S, and T.

$$RS = 5 \quad ST = 6$$

$$RT = \sqrt{(-2 - 3)^2 + (-3 - 3)^2} \\ = \sqrt{(-5)^2 + (-6)^2} \\ = \sqrt{61} \approx 7.81$$



**Step 2** Find  $\angle$  measures.

$$m\angle S = 90^\circ$$

$$m\angle R = \tan^{-1}\left(\frac{6}{5}\right) \approx 50^\circ$$


$$m\angle T \approx 90 - 50 \approx 40^\circ$$

18. Step 1 Find side lengths.

Plot pts. X, Y, and Z.

$$XZ = 7 \quad YZ = 7$$

$$XY = \sqrt{(-3 - 4)^2 + (1 + 6)^2} \\ = \sqrt{(-7)^2 + 7^2} \\ = \sqrt{98} \approx 9.90$$



**Step 2** Find  $\angle$  measures.

$$m\angle Z = 90^\circ$$

$$m\angle X = \tan^{-1}\left(\frac{7}{7}\right) = 45^\circ$$


$$m\angle Y = 90 - 45 = 45^\circ$$

19. **Step 1** Find side lengths.

Plot pts. A, B, and C.

$$AB = 2 \quad BC = 4$$

$$AC = \sqrt{(1 + 1)^2 + (5 - 1)^2} \\ = \sqrt{2^2 + 4^2} \\ = \sqrt{20} \approx 4.47$$



**Step 2** Find  $\angle$  measures.

$$m\angle B = 90^\circ$$

$$m\angle A = \tan^{-1}\left(\frac{4}{2}\right) \approx 63^\circ$$

$$m\angle C = 90 - 63 \approx 27^\circ$$

20.  $8\% = \frac{8}{100}$

An 8% grade means hill rises 8 m for every 100 m of horiz. dist.

$$m\angle = \tan^{-1}\left(\frac{8}{100}\right) \approx 5^\circ$$

### PRACTICE AND PROBLEM SOLVING

21.  $\frac{5}{12} = \frac{7.5}{18} = \tan \angle 2$   
 $\angle A = \angle 2$

22.  $2.4 = \frac{18}{7.5} = \tan \angle 1$   
 $\angle A = \angle 1$

23.  $\frac{12}{13} = \frac{18}{19.5} = \sin \angle 1$   
 $\angle A = \angle 1$

24.  $\frac{5}{13} = \frac{7.5}{19.5} = \sin \angle 2$   
 $\angle A = \angle 2$

24.  $\frac{12}{13} = \frac{18}{19.5} = \cos \angle 2$   
 $\angle A = \angle 2$

26.  $\frac{5}{13} = \frac{7.5}{19.5} = \cos \angle 1$   
 $\angle A = \angle 1$

27.  $\sin^{-1}(0.31) \approx 18^\circ$

28.  $\tan^{-1}(1) = 45^\circ$

29.  $\cos^{-1}(0.8) \approx 37^\circ$

30.  $\cos^{-1}(0.72) \approx 44^\circ$

31.  $\tan^{-1}(1.55) \approx 57^\circ$

32.  $\sin^{-1}\left(\frac{9}{17}\right) \approx 32^\circ$

33. **Step 1** Find unknown side lengths.

$$JK = 3.2 \cos 26^\circ \approx 2.88$$

$$LK = 3.2 \sin 26^\circ \approx 1.40$$

**Step 2** Find unknown  $\angle$  measure.

$$m\angle L = 90 - 26 = 64^\circ$$

34. **Step 1** Find unknown side length.

$$DF = \sqrt{(\sqrt{5})^2 + (\sqrt{2})^2} \\ = \sqrt{5 + 2} = \sqrt{7} \approx 2.65$$

**Step 2** Find unknown  $\angle$  measures.

$$m\angle D = \tan^{-1}\left(\frac{\sqrt{2}}{\sqrt{5}}\right) \approx 32^\circ$$

$$m\angle F = \tan^{-1}\left(\frac{\sqrt{5}}{\sqrt{2}}\right) \approx 58^\circ$$

35. **Step 1** Find unknown  $\angle$  measures.

$$m\angle P = \cos^{-1}\left(\frac{6.7}{8.3}\right) \approx 36^\circ$$

$$m\angle R = \sin^{-1}\left(\frac{6.7}{8.3}\right) \approx 54^\circ$$

**Step 2** Find unknown side length.

$$QR = 8.3 \sin P \\ = 8.3 \sin\left(\cos^{-1}\left(\frac{6.7}{8.3}\right)\right) \approx 4.90$$

**36. Step 1** Find side lengths. $\overline{AB}$  is vert.,  $AB = 5$ ;  $\overline{BC}$  is horiz.,  $BC = 1$ By Pyth. Thm.,  $AC = \sqrt{5^2 + 1^2} = \sqrt{26} \approx 5.10$ **Step 2** Find  $\angle$  measures.

$m\angle B = 90^\circ$

$m\angle A = \tan^{-1}\left(\frac{BC}{AB}\right) = \tan^{-1}\left(\frac{1}{5}\right) \approx 11^\circ$

$m\angle C \approx 90 - 11 \approx 79^\circ$

**37. Step 1** Find side lengths. $\overline{MN}$  is vert.,  $MN = 4$ ;  $\overline{NP}$  is horiz.,  $NP = 4$ By Pyth. Thm.,  $MP = \sqrt{4^2 + 4^2} = \sqrt{32} \approx 5.66$ **Step 2** Find  $\angle$  measures.

$m\angle N = 90^\circ$

$m\angle M = \tan^{-1}\left(\frac{NP}{MN}\right) = \tan^{-1}\left(\frac{4}{4}\right) = 45^\circ$

$m\angle P = 90 - 45 = 45^\circ$

**38.** Range of  $\angle$  measures is between  $\tan^{-1}\left(\frac{1}{20}\right) \approx 3^\circ$   
and  $\tan^{-1}\left(\frac{1}{16}\right) \approx 4^\circ$ .

**39.**  $\tan^{-1}(3.5) \approx 74^\circ$   
 $\tan 74^\circ \approx 3.5$

**40.**  $\sin^{-1}\left(\frac{2}{3}\right) \approx 42^\circ$   
 $\sin 42^\circ \approx \frac{2}{3}$

**41.**  $\cos 42^\circ \approx 0.74$

**42.**  $\cos 12^\circ \approx 0.98$   
 $\cos^{-1}(0.98) \approx 12^\circ$

**43.**  $\sin 69^\circ \approx 0.93$   
 $\sin^{-1}(0.93) \approx 69^\circ$

**44.**  $\cos 60^\circ = \frac{1}{2}$

**45.** Assume square has sides of length  $a$ . Then either rt.  $\triangle$  formed by a diag. has legs of length  $a$ . So measure of  $\angle$  formed by diag. and a side is  $\tan^{-1}\left(\frac{a}{a}\right) = \tan^{-1}(1) = 45^\circ$ .**46a.** Possible answer:  $m\angle P \approx 40^\circ$ **b.**  $RQ \approx 2.2$  cm,  $PQ \approx 3.1$  cm

**c.**  $m\angle P = \tan^{-1}\left(\frac{RQ}{PQ}\right)$   
 $\approx \tan^{-1}\left(\frac{2.2}{3.1}\right) \approx 35^\circ$

**d.** Possible answer: Answer in part **c** is likely more accurate, since it is easier to measure lengths to the nearest tenth than to measure  $\angle$  to the nearest degree.

**47a.**  $m\angle 1 = \tan^{-1}\left(\frac{8}{100}\right) \approx 5^\circ$

**b.**  $m\angle 1 \approx 90 - 5 \approx 85^\circ$

**c.**  $h = \frac{31}{\sin\left(90 - \tan^{-1}\left(\frac{8}{100}\right)\right)} \approx 31.10$  ft, or 31 ft 1 in.

**48.**  $\sin^{-1}\left(\frac{3}{5}\right) \approx 37^\circ$ ,  $\sin^{-1}\left(\frac{4}{5}\right) \approx 53^\circ$

**49.**  $\sin^{-1}\left(\frac{5}{13}\right) \approx 23^\circ$ ,  $\sin^{-1}\left(\frac{12}{13}\right) \approx 67^\circ$

**50.**  $\sin^{-1}\left(\frac{8}{17}\right) \approx 28^\circ$ ,  $\sin^{-1}\left(\frac{15}{17}\right) \approx 62^\circ$

**51.**  $\tan^{-1}\left(\frac{45}{28}\right) \approx 58^\circ$ ,  $\tan^{-1}\left(\frac{90}{28}\right) \approx 73^\circ$

Acute  $\angle$  measure changes from about  $58^\circ$  to about  $73^\circ$ , an increase by a factor of 1.26.

**52.**  $m\angle = \tan^{-1}\left(\frac{28}{100}\right) \approx 16^\circ$

**53a.**  $AB = \sqrt{(6+1)^2 + (1-0)^2}$   
 $= \sqrt{7^2 + 1^2}$   
 $= \sqrt{50} = 5\sqrt{2}$   
 $BC = \sqrt{(0-6)^2 + (3-1)^2}$   
 $= \sqrt{6^2 + 2^2}$   
 $= \sqrt{40} = 2\sqrt{10}$   
 $AC = \sqrt{(0+1)^2 + (3-0)^2}$   
 $= \sqrt{1^2 + 3^2} = \sqrt{10}$

**b.**  $AC^2 + BC^2 = 10 + 40$   
 $= 50 = AB^2$   
So  $\triangle ABC$  is a rt.  $\triangle$ , and  $C$  is the rt.  $\angle$ .

**c.**  $m\angle A = \sin^{-1}\left(\frac{BC}{AB}\right)$   
 $= \sin^{-1}\left(\frac{2\sqrt{10}}{5\sqrt{2}}\right)$   
 $= \sin^{-1}\left(\frac{2\sqrt{5}}{5}\right) \approx 63^\circ$   
 $m\angle B = 90 - m\angle A \approx 27^\circ$

**54.**  $m\angle BDC = \tan^{-1}\left(\frac{2}{7}\right) \approx 16^\circ$

**55.**  $m\angle STV = \tan^{-1}\left(\frac{3.2}{4.5}\right) \approx 35^\circ$

**56.**  $m\angle DGF = 2m\angle DGH = 2\sin^{-1}\left(\frac{2.4}{4.4}\right) \approx 66^\circ$

**57.**  $m\angle LKN = \tan^{-1}\left(\frac{9}{4.8}\right) \approx 62^\circ$

**58.**  $\tan 70^\circ > \tan 60^\circ$ ; possible answer: consider 2 rt.  $\triangle$ s, 1 with a  $60^\circ \angle$  and 1 with a  $70^\circ \angle$ . Suppose that legs adj. to these  $\angle$ s have length 1 unit. Leg opp.  $70^\circ \angle$  will be longer than leg opp.  $60^\circ \angle$ . So  $\tan 70^\circ$  is greater than  $\tan 60^\circ$ .

**59.**  $\tan^{-1}(m) = \tan^{-1}(3) \approx 72^\circ$

**60.**  $\tan^{-1}(m) = \tan^{-1}\left(\frac{2}{3}\right) \approx 34^\circ$

**61.**  $5y = 4x + 3$   
 $y = \frac{4}{5}x + \frac{3}{5}$   
 $\tan^{-1}(m) = \tan^{-1}\left(\frac{4}{5}\right) \approx 39^\circ$

**62.** Since  $\triangle$  is not a rt.  $\triangle$ , trig. ratios do not apply.**63.** No; possible answer: you only need to know 2 side lengths. You can use Pyth. Thm. to find 3rd side length or use trig. ratios to find acute  $\angle$  measures.

$$\begin{aligned}
 64. AD &= AC \cos A \\
 &= 10 \cos \left( \tan^{-1} \left( \frac{6}{10} \right) \right) \approx 8.57 \\
 BD &= BC \cos B \\
 &= 6 \cos \left( \tan^{-1} \left( \frac{10}{6} \right) \right) \approx 3.09 \\
 CD &= BC \sin B \\
 &= 6 \sin \left( \tan^{-1} \left( \frac{10}{6} \right) \right) \approx 5.14 \\
 (8.57)(3.09) &\approx 26 \approx (5.14)^2 \\
 (8.57)(8.57 + 3.09) &\approx 100 = (10)^2 \\
 (3.09)(8.57 + 3.09) &\approx 36 = (6)^2
 \end{aligned}$$

#### TEST PREP

$$\begin{aligned}
 65. D & & 66. J \\
 67. A & & 68. 9^\circ \\
 \tan^{-1} \left( \frac{1.4}{2.7} \right) &\approx 27^\circ & \tan^{-1} \left( \frac{3}{20} \right) \approx 9^\circ
 \end{aligned}$$

#### CHALLENGE AND EXTEND

$$\begin{aligned}
 69. LH &= 10 \sin J = 20 \sin 25^\circ \\
 \sin J &= 2 \sin 25^\circ \\
 m\angle J &= \sin^{-1}(2 \sin 25^\circ) \approx 58^\circ \\
 70. BD &= 3.2 \tan A = 8 \cos 64^\circ \\
 \tan A &= 2.5 \cos 64^\circ \\
 m\angle A &= \tan^{-1}(2.5 \cos 64^\circ) \approx 48^\circ \\
 71. \text{ Let } \angle A &\text{ be an acute } \angle \text{ with } m\angle A = \cos^{-1}(\cos 34^\circ). \\
 &\text{Then } \cos A = \cos 34^\circ. \text{ Since } \cos \text{ is a 1-to-1 function} \\
 &\text{on acute } \angle \text{ measures, } m\angle A = 34^\circ. \\
 72. \text{ Since } \tan &\text{ is a 1-to-1 function on acute } \angle \text{ measures,} \\
 x &= \tan[\tan^{-1}(1.5)] \rightarrow x = 1.5 \\
 73. \text{ Since } \sin &\text{ is a 1-to-1 function on acute } \angle \text{ measures,} \\
 y &= \sin(\sin^{-1} x) \rightarrow y = x \\
 74. y &= 40 \sin \left( \tan^{-1} \left( \frac{6}{100} \right) \right) \approx 2.40 \text{ ft} \\
 75. \text{ Possible answer: The expression } &\sin^{-1}(1.5) \\
 &\text{represents an } \angle \text{ measure that has a sine of 1.5. The} \\
 &\text{sine of an acute } \angle \text{ of a rt. } \triangle \text{ must be between 0} \\
 &\text{and 1, so the expression } \sin^{-1}(1.5) \text{ is undefined.} \\
 76. \text{ Let } \overline{BD} &\text{ be altitude. Then} \\
 \text{Area} &= \frac{1}{2}(\text{base})(\text{height}) \\
 &= \frac{1}{2}(AC)(BD) \\
 &= \frac{1}{2}(b)(c \sin A) \\
 &= \frac{1}{2}bc \sin A.
 \end{aligned}$$

#### SPIRAL REVIEW

$$\begin{aligned}
 77. \text{ false; } 6.8 &\nless 2 + 2.5 + 3.3 = 7.8 \\
 78. \text{ true; } \frac{2 + 2.5 + 3.3 + 6.8 + 3.6}{5} &\approx 3.5 \text{ in.} \\
 79. \text{ False; rainfall decreased from April to May.} \\
 80. \angle B &\cong \angle E \\
 37 &= 2x + 11 \\
 26 &= 2x \\
 x &= 13 \\
 81. \frac{AB}{DE} &= \frac{AC}{DF} \\
 \frac{3y+7}{2y+6} &= \frac{1.4+1.6}{1.4+1.6} = 1 \\
 3y+7 &= 2y+6 \\
 y &= -1 \\
 82. DF &= 1.4 + 1.6 = 3 \\
 83. \sin 63^\circ &\approx 0.89 \\
 84. \cos 27^\circ &\approx 0.89 \\
 85. \tan 64^\circ &\approx 2.05
 \end{aligned}$$

#### READY TO GO ON? PAGE 543

$$\begin{aligned}
 1. x &= \sqrt{(5)(12)} \\
 &= \sqrt{60} = 2\sqrt{15} \\
 2. x &= \sqrt{(2.75)(44)} \\
 &= \sqrt{121} = 11 \\
 3. x &= \sqrt{\left(\frac{5}{2}\right)\left(\frac{15}{8}\right)} \\
 &= \sqrt{\frac{75}{16}} = \frac{5\sqrt{3}}{4} \\
 4. x^2 &= (4)(8) = 32 \\
 x &= \sqrt{32} = 4\sqrt{2} \\
 y^2 &= (4)(12) = 48 \\
 y &= \sqrt{48} = 4\sqrt{3} \\
 z^2 &= (8)(12) = 96 \\
 z &= \sqrt{96} = 4\sqrt{6} \\
 5. (12\sqrt{5})^2 &= (24)(x+24) \\
 720 &= 24x + 576 \\
 144 &= 24x \\
 x &= 6 \\
 y^2 &= 24x \\
 &= 24(6) = 144 \\
 y &= 12 \\
 z^2 &= (24+x)(x) \\
 &= (30)(6) = 180 \\
 z &= \sqrt{180} = 6\sqrt{5} \\
 6. 6^2 &= 12x \\
 36 &= 12x \\
 x &= 3 \\
 y^2 &= 12(12+x) \\
 &= (12)(15) = 180 \\
 y &= \sqrt{180} = 6\sqrt{5} \\
 z^2 &= (12+x)x \\
 &= (15)(3) = 45 \\
 z &= \sqrt{45} = 3\sqrt{5} \\
 7. (AB)^2 &= (BC)(BD) \\
 &= (22)(30) = 660 \\
 AB &= \sqrt{660} \approx 25.7 \text{ m} \\
 8. \text{ Let legs of } 45^\circ\text{-}45^\circ\text{-}90^\circ \triangle &\text{ have length } x. \\
 \tan 45^\circ &= \frac{x}{x} = 1 \\
 9. \text{ Let } 30^\circ\text{-}60^\circ\text{-}90^\circ \triangle &\text{ have side lengths } x, x\sqrt{3}, 2x. \\
 \sin 30^\circ &= \frac{x}{2x} = \frac{1}{2} \\
 10. \cos 30^\circ &= \frac{x\sqrt{3}}{2x} = \frac{\sqrt{3}}{2} \\
 11. \sin 16^\circ &\approx 0.28 \\
 12. \cos 79^\circ &\approx 0.19 \\
 13. \tan 27^\circ &\approx 0.51 \\
 14. QR &= \frac{14}{\tan 31^\circ} \approx 23.30 \text{ in.} \\
 15. AB &= 6 \cos 50^\circ \approx 3.86 \text{ m} \\
 16. LM &= 4.2 \sin 62^\circ \approx 3.71 \text{ cm} \\
 17. m\angle A &= 90 - 32 = 58^\circ \\
 BC &= \frac{22}{\tan 32^\circ} \approx 35.21 \\
 AC &= \frac{22}{\sin 32^\circ} \approx 41.52
 \end{aligned}$$

18.  $HJ = \sqrt{7^2 + 10.5^2}$   
 $= \sqrt{159.25} \approx 12.62$   
 $m\angle H = \tan^{-1}\left(\frac{10.5}{7}\right) \approx 56^\circ$   
 $m\angle J = \tan^{-1}\left(\frac{7}{10.5}\right) \approx 34^\circ$
19.  $m\angle Z = 90 - 28 = 62^\circ$   
 $XY = 5.1 \cos 28^\circ \approx 4.50$   
 $YZ = 5.1 \sin 28^\circ \approx 2.39$
20.  $\tan^{-1}\left(\frac{1}{18}\right) \approx 3^\circ$

## 8-4 ANGLES OF ELEVATION AND DEPRESSION, PAGES 544–549

### CHECK IT OUT!


- 1a.  $\angle 5$  is formed by a horiz. line and a line of sight to a pt. below the line. It is an  $\angle$  of depression.
- b.  $\angle 6$  is formed by a horiz. line and a line of sight to a pt. above the line. It is an  $\angle$  of elevation.

2. Let  $A$  represent airport and  $P$  represent plane. Let  $x$  be horiz. distance between plane and airport.


$$\tan 29^\circ = \frac{3500}{x}$$

$$x = \frac{3500}{\tan 29^\circ}$$


$$\approx 6314 \text{ ft}$$



3. Let  $T$  represent top of tower and  $F$  represent fire. Let  $x$  be horiz. distance between tower and fire. By Alt. Int.  $\angle$  Thm.,  $m\angle F = 3^\circ$ .
- $$\tan 3^\circ = \frac{90}{x}$$
- $$x = \frac{90}{\tan 3^\circ} \approx 1717 \text{ ft}$$



4. **Step 1** Let  $P$  represent plane, and  $A$  and  $B$  represent two airports. Let  $x$  be distance between airports.



- Step 2** Find  $y$ .

By Alt. Int.  $\angle$  Thm.,  $m\angle CAP = 78^\circ$ . In  $\triangle APC$ ,

$$\tan 78^\circ = \frac{12,000}{y}$$

$$y = \frac{12,000}{\tan 78^\circ} \approx 2550.7 \text{ ft}$$

- Step 3** Find  $z$ .

By Alt. Int.  $\angle$  Thm.,  $m\angle CBP = 19^\circ$ . In  $\triangle BPC$ ,

$$\tan 19^\circ = \frac{12,000}{z}$$

$$z = \frac{12,000}{\tan 19^\circ} \approx 34,850.6 \text{ ft}$$

- Step 4** Find  $x$ .


$$x = z - y$$

$$\approx 34,850.6 - 2550.7 \approx 32,300 \text{ ft}$$

### THINK AND DISCUSS

1. It increases, because height of skyscraper is constant and horiz. dist. is decreasing.

- 2.



### EXERCISES

#### GUIDED PRACTICE

- elevation
- depression
- $\angle 1$  is formed by a horiz. line and a line of sight to a pt. above the line. It is an  $\angle$  of elevation.
- $\angle 2$  is formed by a horiz. line and a line of sight to a pt. below the line. It is an  $\angle$  of depression.
- $\angle 3$  is formed by a horiz. line and a line of sight to a pt. above the line. It is an  $\angle$  of elevation.
- $\angle 4$  is formed by a horiz. line and a line of sight to a pt. below the line. It is an  $\angle$  of depression.
- Let  $h$  be height of flagpole.  
 $\tan 37^\circ = \frac{h}{24.2}$   
 $h = 24 \tan 37^\circ \approx 18 \text{ ft}$

- 
- A right triangle  $HPA$  is shown, where  $H$  is the top of the hill,  $P$  is the base, and  $A$  is a point on the ground. The vertical side  $HP$  is labeled 1560 ft. The horizontal side  $PA$  is labeled  $x$ . A dashed line extends from  $H$  to the right, and the angle between this dashed line and the hypotenuse  $HA$  is labeled  $18^\circ$ . A right angle symbol is at  $P$ .

$$\tan 18^\circ = \frac{1560}{x}$$
$$x = \frac{1560}{\tan 18^\circ} \approx 4801 \text{ ft}$$

- 

By Alt. Int.  $\angle$  Thm.,  
 $m\angle CAT = 74^\circ$ . In  
 $\triangle ATC$ ,

$$\tan 74^\circ = \frac{191}{y}$$
$$y = \frac{191}{\tan 74^\circ} \approx 54.77 \text{ m}$$

By Alt. Int.  $\angle$  Thm.,  $m\angle CBT = 58^\circ$ . In  $\triangle BTC$ ,

$$\tan 58^\circ = \frac{191}{z}$$
$$z = \frac{191}{\tan 58^\circ} \approx 119.35 \text{ m}$$

$$w = z - y$$
$$\approx 119.35 - 54.77 \approx 64.6 \text{ m}$$

**10.**  $\angle 1$ :  $\angle$  of depression  
**11.**  $\angle 2$ :  $\angle$  of elevation  
**12.**  $\angle 3$ :  $\angle$  of elevation  
**13.**  $\angle 4$ :  $\angle$  of depression  
**14.**  $h = 1.5 + 100 \tan 67^\circ \approx 237$  m  
**15.**  $x = \frac{120}{\tan 3.5^\circ} \approx 1962$  ft  
**16.**  $z = y - x$   
 $\quad = 1 \tan 74^\circ - 1 \tan 16^\circ$   
 $\quad \approx 3.2$  mi  
**17.** true  
**18.** true  
**19.** false;  $\angle$  of elevation gets closer to  $90^\circ$   
**20.** true  
**21.**  $\angle 1$  and  $\angle 3$   
**22.**  $m\angle 2 = 30^\circ$  (given)  
 $m\angle 1 = 90 - m\angle 2$   
 $\quad = 90 - 30 = 60^\circ$  (comp.  $\triangle$ )  
 $m\angle 3 = m\angle 1 = 60^\circ$ ,  
 $m\angle 4 = m\angle 2 = 30^\circ$  (Alt. Int.  $\triangle$  Thm.)  
**23.** Possible answer: As a hot air balloon descends vertically,  $\angle$  of depression to an object on the ground decreases.  
**24.** By Alt. Int.  $\triangle$  Thm.,  
 $\angle$  of depression  $= \tan^{-1}\left(\frac{165}{50}\right) \approx 73^\circ$   
**25a.**  $x = \frac{1000}{\tan 67^\circ} \approx 424$  ft  
**b.**  $z = y - x$   
 $\quad = \frac{1000}{\tan 55^\circ} - \frac{1000}{\tan 67^\circ}$   
 $\quad \approx 276$  ft


26. When the  $\angle$  of elevation is exactly  $45^\circ$ , the length of the shadow will be the same as the length of telephone pole, since a rt. isosc.  $\triangle$  is formed and  $\tan 45^\circ = 1$ .

**27a.**  $x = \frac{1250}{\tan 31^\circ} \approx 2080 \text{ ft}$       **b.**  $v = \frac{s}{t}$   
 $t = \frac{s}{v}$   
 $\approx \frac{2080}{150} \approx 14 \text{ s}$

**28. D**  
 $\text{dist.} = \frac{1600}{\tan 35^\circ} \approx 2285 \text{ ft}$

- 29. J**  
height =  $93 \tan 60^\circ \approx 161$  ft

30.  The  $\angle$  of elevation increases as Jim moves closer to trail marker.



**31.** Let  $x$  and  $y$  be dists. from Jorge and from Susan to foot of Big Ben; let  $h$  be height of Big Ben.

$$\begin{aligned} \text{Jorge: } h &= x \tan 49.5^\circ \\ \text{Susan: } h &= y \tan 65^\circ \\ y &= x - 38 \\ h &= x \tan 49.5^\circ = (x - 38) \tan 65^\circ \\ 38 \tan 65^\circ &= x(\tan 65^\circ - \tan 49.5^\circ) \\ x &= \frac{38 \tan 65^\circ}{(\tan 65^\circ - \tan 49.5^\circ)} \end{aligned}$$

$$h = \frac{38 \tan 65^\circ}{(\tan 65^\circ - \tan 49.5^\circ)} (\tan 49.5^\circ) \approx 98 \text{ m}$$

- 32.** Speed =  $500 \frac{\text{mi}}{\text{h}} \cdot \frac{1 \text{ h}}{60 \text{ min}} \cdot \frac{5280 \text{ ft}}{1 \text{ mi}} = 44,000 \text{ ft/min}$

Let time until over lake be  $t$ . Then horiz. dist to lake is

$$t = \frac{14,000}{44,000 \tan 6^\circ} \approx 3 \text{ min.}$$

- 33.**  $h = x \tan 5^\circ = (10 - x) \tan 2^\circ$   
 $x(\tan 5^\circ + \tan 2^\circ) = 10 \tan 2^\circ$

$$x = \frac{10 \tan 2^\circ}{\tan 5^\circ + \tan 2^\circ}$$

$$\begin{aligned} h &= x \tan 5^\circ \\ &= \frac{10 \tan 2^\circ}{\tan 5^\circ + \tan 2^\circ} (\tan 5^\circ) \\ &\approx 0.2496 \text{ mi} \approx 1318 \text{ ft} \end{aligned}$$

- 34.**  $h = y - x$   
 $= 46 \tan 42^\circ - 46 \tan 18^\circ$   
 $\approx 26.47$  ft or 26 ft 6 in.

# SPIRAL REVIEW

35. Let  $x$  and  $y$  be dists. run by Emma and mother in time  $t$ . When they meet,
- $$x + y = 1$$
- $$6t + 4t = 1$$
- $$10t = 1$$
- $$t = 0.1 \text{ h or 6 min}$$

36. Let  $p$  be original price.  
discounted price =  $0.7p$   
price after coupon =  $0.85(0.7p) = 17.85$   
 $p = \frac{17.85}{0.85(0.7)} = 30$   
Original price was \$30.


37. rhombus, square      38. rectangle, square  
39. rectangle, rhombus, square      40. rectangle, rhombus, square

41.  $x^2 + 3^2 = 5^2$   
 $x^2 + 9 = 25$   
 $x^2 = 16$   
 $x = 4$
42.  $\frac{y}{x} = \frac{5}{3}$   
 $y = \frac{5x}{3}$   
 $= \frac{5(4)}{3} = \frac{20}{3}$


43.  $x^2 = 3z$   
 $4^2 = 3z$   
 $z = \frac{16}{3}$

## 8-5 LAW OF SINES AND LAW OF COSINES, PAGES 551–558


### CHECK IT OUT!

1a. 

$$\tan 175^\circ \approx -0.09$$

b. 

$$\cos 92^\circ \approx -0.03$$

c. 

$$\sin 160^\circ \approx 0.34$$

2a.  $\frac{\sin N}{MP} = \frac{\sin M}{NP}$   
 $\frac{\sin 39^\circ}{22} = \frac{\sin 88^\circ}{NP}$   
 $NP \sin 39^\circ = 22 \sin 88^\circ$   
 $NP = \frac{22 \sin 88^\circ}{\sin 39^\circ}$   
 $\approx 34.9$

b.  $\frac{\sin L}{JK} = \frac{\sin K}{JL}$   
 $\frac{\sin L}{6} = \frac{\sin 125^\circ}{10}$   
 $\sin L = \frac{6 \sin 125^\circ}{10}$   
 $m\angle L = \sin^{-1}\left(\frac{6 \sin 125^\circ}{10}\right)$   
 $\approx 29^\circ$

c.  $\frac{\sin X}{YZ} = \frac{\sin Y}{XZ}$   
 $\frac{\sin X}{4.3} = \frac{\sin 50^\circ}{7.6}$   
 $\sin X = \frac{4.3 \sin 50^\circ}{7.6}$   
 $m\angle X = \sin^{-1}\left(\frac{4.3 \sin 50^\circ}{7.6}\right)$   
 $\approx 26^\circ$

d.  $m\angle A = 180 - 67^\circ - 44^\circ$   
 $= 69^\circ$   
 $\frac{\sin A}{BC} = \frac{\sin B}{AC}$   
 $\frac{\sin 69^\circ}{18} = \frac{\sin 67^\circ}{AC}$   
 $AC \sin 69^\circ = 18 \sin 67^\circ$   
 $AC = \frac{18 \sin 67^\circ}{\sin 69^\circ}$   
 $\approx 17.7$

3a.  $DE^2 = DF^2 + EF^2 - 2(DF)(EF) \cos F$   
 $= 16^2 + 18^2 - 2(16)(18) \cos 21^\circ$   
 $DE^2 \approx 42.2577$   
 $DE \approx 6.5$

b.  $JL^2 = JK^2 + KL^2 - 2(JK)(KL) \cos K$   
 $8^2 = 15^2 + 10^2 - 2(15)(10) \cos K$   
 $64 = 325 - 300 \cos K$   
 $-261 = -300 \cos K$   
 $\cos K = \frac{261}{300}$   
 $m\angle K = \cos^{-1}\left(\frac{261}{300}\right) \approx 30^\circ$

c.  $YZ^2 = XY^2 + XZ^2 - 2(XY)(XZ) \cos X$   
 $= 10^2 + 4^2 - 2(10)(4) \cos 34^\circ$   
 $YZ^2 \approx 49.6770$   
 $YZ \approx 7.0$

d.  $PQ^2 = QR^2 + PR^2 - 2(QR)(PR) \cos R$   
 $9.6^2 = 10.5^2 + 5.9^2 - 2(10.5)(5.9) \cos R$   
 $92.16 = 145.06 - 123.9 \cos R$   
 $-52.9 = -123.9 \cos R$   
 $\cos R = \frac{52.9}{123.9}$   
 $m\angle R = \cos^{-1}\left(\frac{52.9}{123.9}\right) \approx 65^\circ$

4. **Step 1** Find length of cable.

$$AC^2 = AB^2 + BC^2 - 2(AB)(BC) \cos B$$

$$= 31^2 + 56^2 - 2(31)(56) \cos 100^\circ$$

$$AC^2 = 4699.9065$$

$$AC = 68.6 \text{ m}$$

- Step 2** Find angle measure between cable and ground.

$$\frac{\sin A}{BC} = \frac{\sin B}{AC}$$





$$\frac{\sin A}{56} = \frac{\sin 100^\circ}{68.56}$$

$$\sin A = \frac{56 \sin 100^\circ}{68.56}$$

$$m\angle A = \sin^{-1}\left(\frac{56 \sin 100^\circ}{68.56}\right) \approx 54^\circ$$


## THINK AND DISCUSS

1.  $m\angle A$ .


| Given Information                                | Method         | Example                                                                           |
|--------------------------------------------------|----------------|-----------------------------------------------------------------------------------|
| Two angle measures and any side length           | Law of Sines   |  |
| Two side lengths and a nonincluded angle measure | Law of Sines   |  |
| Two side lengths and the included angle measure  | Law of Cosines |  |
| Three side lengths                               | Law of Cosines |  |

## EXERCISES


### GUIDED PRACTICE

1. 


$$\sin 100^\circ \approx 0.98$$

2. 


$$\cos 167^\circ \approx -0.97$$

3. 

$$\tan 92^\circ \approx -28.64$$

4. 


$$\tan 141^\circ \approx -0.81$$

5. 

$$\cos 133^\circ \approx -0.68$$

6. 


$$\sin 150^\circ = 0.5$$

7. 

$$\sin 147^\circ \approx 0.54$$

8. 

$$\tan 164^\circ \approx -0.29$$

9. 

$$\cos 156^\circ \approx -0.91$$

10. 
$$\frac{\sin R}{ST} = \frac{\sin S}{RT}$$
  

$$\frac{\sin 36^\circ}{15} = \frac{\sin 70^\circ}{RT}$$
  

$$RT \sin 36^\circ = 15 \sin 70^\circ$$
  

$$RT = \frac{15 \sin 70^\circ}{\sin 36^\circ}$$
  

$$\approx 24.0$$

11. 
$$\frac{\sin B}{AC} = \frac{\sin C}{AB}$$
  

$$\frac{\sin B}{14} = \frac{\sin 101^\circ}{20}$$
  

$$\sin B = \frac{14 \sin 101^\circ}{20}$$
  

$$B = \sin^{-1}\left(\frac{14 \sin 101^\circ}{20}\right)$$
  

$$\approx 43^\circ$$

12. 
$$\frac{\sin F}{DE} = \frac{\sin D}{EF}$$
  

$$\frac{\sin F}{20} = \frac{\sin 84^\circ}{31}$$
  

$$\sin F = \frac{20 \sin 84^\circ}{31}$$
  

$$F = \sin^{-1}\left(\frac{20 \sin 84^\circ}{31}\right)$$
  

$$\approx 40^\circ$$

13. 
$$PR^2 = PQ^2 + QR^2 - 2(PQ)(QR) \cos Q$$
  

$$7^2 = 6^2 + 10^2 - 2(6)(10) \cos Q$$
  

$$49 = 136 - 120 \cos Q$$
  

$$-87 = -120 \cos Q$$
  

$$\cos Q = \frac{87}{120}$$
  

$$m\angle Q = \cos^{-1}\left(\frac{87}{120}\right) \approx 44^\circ$$

14. 
$$MN^2 = LM^2 + LN^2 - 2(LM)(LN) \cos L$$
  

$$= 30^2 + 25^2 - 2(30)(25) \cos 77^\circ$$
  

$$MN^2 \approx 1187.5734$$
  

$$MN \approx 34.5$$



$$\begin{aligned}
 15. \quad AB^2 &= AC^2 + BC^2 - 2(AC)(BC) \cos C \\
 &= 8^2 + 11^2 - 2(8)(11) \cos 131 \\
 AB^2 &\approx 300.4664 \\
 AB &\approx 17.3
 \end{aligned}$$

16. Think: Find each  $\angle$  using Law of Cosines.

$$\begin{aligned}
 20^2 &= 24^2 + 30^2 - 2(24)(30) \cos \angle 1 \\
 400 &= 1476 - 1440 \cos \angle 1 \\
 -1076 &= -1440 \cos \angle 1 \\
 m\angle 1 &= \cos^{-1}\left(\frac{1076}{1440}\right) \approx 42^\circ \\
 24^2 &= 20^2 + 30^2 - 2(20)(30) \cos \angle 2 \\
 576 &= 1300 - 1200 \cos \angle 2 \\
 -724 &= -1200 \cos \angle 2 \\
 m\angle 2 &= \cos^{-1}\left(\frac{724}{1200}\right) \approx 53^\circ \\
 30^2 &= 24^2 + 20^2 - 2(24)(20) \cos \angle 3 \\
 900 &= 976 - 960 \cos \angle 3 \\
 76 &= -960 \cos \angle 3 \\
 m\angle 3 &= \cos^{-1}\left(\frac{76}{960}\right) \approx 85^\circ
 \end{aligned}$$

#### PRACTICE AND PROBLEM SOLVING

$$17. \cos 95^\circ \approx -0.09 \qquad 18. \tan 178^\circ \approx -0.03$$

$$19. \tan 118^\circ \approx -1.88 \qquad 20. \sin 132^\circ \approx 0.74$$

$$21. \sin 98^\circ \approx 0.99 \qquad 22. \cos 124^\circ \approx -0.56$$

$$23. \tan 139^\circ \approx -0.87 \qquad 24. \cos 145^\circ \approx -0.82$$

$$25. \sin 128^\circ \approx 0.79$$

$$\begin{aligned}
 26. \quad \frac{\sin C}{6.8} &= \frac{\sin 122^\circ}{10.2} \\
 m\angle C &= \sin^{-1}\left(\frac{6.8 \sin 122^\circ}{10.2}\right) \\
 &\approx 34^\circ
 \end{aligned}$$

$$\begin{aligned}
 27. \quad \frac{\sin 17^\circ}{8.5} &= \frac{\sin 135^\circ}{PR} & 28. \quad \frac{\sin 140^\circ}{9} &= \frac{\sin 20^\circ}{JL} \\
 PR &= \frac{8.5 \sin 135^\circ}{\sin 17^\circ} & JL &= \frac{9 \sin 20^\circ}{\sin 140^\circ} \\
 &\approx 20.6 & &\approx 4.8
 \end{aligned}$$

$$\begin{aligned}
 29. \quad \frac{\sin 56^\circ}{11.7} &= \frac{\sin 47^\circ}{EF} & 30. \quad \frac{\sin J}{61} &= \frac{\sin 80^\circ}{100} \\
 EF &= \frac{11.7 \sin 47^\circ}{\sin 56^\circ} & m\angle J &= \sin^{-1}\left(\frac{61 \sin 80^\circ}{100}\right) \\
 &\approx 10.4 & &\approx 37^\circ
 \end{aligned}$$

$$\begin{aligned}
 31. \quad \frac{\sin X}{3.6} &= \frac{\sin 78^\circ}{3.9} \\
 m\angle X &= \sin^{-1}\left(\frac{3.6 \sin 78^\circ}{3.9}\right) \approx 65^\circ
 \end{aligned}$$

$$\begin{aligned}
 32. \quad AB^2 &= 13^2 + 5.8^2 - 2(13)(5.8) \cos 67^\circ \\
 &\approx 143.7177 \\
 AB &\approx 12.0
 \end{aligned}$$

$$\begin{aligned}
 33. \quad 9.7^2 &= 14.7^2 + 6.8^2 - 2(14.7)(6.8) \cos Z \\
 94.09 &= 262.33 - 199.92 \cos Z \\
 -168.24 &= -199.92 \cos Z \\
 m\angle Z &= \cos^{-1}\left(\frac{168.24}{199.92}\right) \approx 33^\circ
 \end{aligned}$$

$$\begin{aligned}
 34. \quad 5^2 &= 12^2 + 13^2 - 2(12)(13) \cos R \\
 25 &= 313 - 312 \cos R \\
 -288 &= -312 \cos R \\
 m\angle R &= \cos^{-1}\left(\frac{288}{312}\right) \approx 23^\circ
 \end{aligned}$$

$$\begin{aligned}
 35. \quad EF^2 &= 8.4^2 + 10.6^2 - 2(8.4)(10.6) \cos 51^\circ \\
 &\approx 70.8506 \\
 EF &\approx 8.4
 \end{aligned}$$

$$\begin{aligned}
 36. \quad LM^2 &= 10.1^2 + 12.9^2 - 2(10.1)(12.9) \cos 112^\circ \\
 &\approx 366.0350 \\
 LM &\approx 19.1
 \end{aligned}$$

$$\begin{aligned}
 37. \quad 5^2 &= 13^2 + 14^2 - 2(13)(14) \cos G \\
 25 &= 365 - 364 \cos G \\
 -340 &= -364 \cos G \\
 m\angle G &= \cos^{-1}\left(\frac{340}{364}\right) \approx 21^\circ
 \end{aligned}$$

$$\begin{aligned}
 38. \quad AB^2 &= 108^2 + 55^2 - 2(108)(55) \cos 59^\circ \\
 &\approx 8570.3477 \\
 AB &\approx 92.6 \\
 \frac{\sin B}{55} &\approx \frac{\sin 59^\circ}{92.576} \\
 m\angle B &\approx \sin^{-1}\left(\frac{55 \sin 59^\circ}{92.576}\right) \approx 31^\circ
 \end{aligned}$$

$$\begin{aligned}
 39. \quad \frac{\sin B}{b} &= \frac{\sin A}{a} \\
 \frac{\sin 22^\circ}{3.2} &= \frac{\sin 74^\circ}{a} \\
 a &= \frac{3.2 \sin 74^\circ}{\sin 22^\circ} \approx 8.2 \text{ cm}
 \end{aligned}$$

$$\begin{aligned}
 40. \quad c^2 &= a^2 + b^2 - 2ab \cos C \\
 &= 9.5^2 + 7.1^2 - 2(9.5)(7.1) \cos 100^\circ \\
 &\approx 164.0851 \\
 c &\approx 12.8 \text{ in.}
 \end{aligned}$$

$$\begin{aligned}
 41. \quad b^2 &= a^2 + c^2 - 2ac \cos B \\
 3.1^2 &= 2.2^2 + 4^2 - 2(2.2)(4) \cos B \\
 9.61 &= 20.84 - 17.6 \cos B \\
 -11.23 &= -17.6 \cos B \\
 m\angle B &= \cos^{-1}\left(\frac{11.23}{17.6}\right) \approx 50^\circ
 \end{aligned}$$

$$\begin{aligned}
 42. \quad \frac{\sin C}{c} &= \frac{\sin A}{a} \\
 \frac{\sin C}{8.4} &= \frac{\sin 45^\circ}{10.3} \\
 m\angle C &= \sin^{-1}\left(\frac{8.4 \sin 45^\circ}{10.3}\right) \approx 35^\circ
 \end{aligned}$$

43. No; 3  $\angle$  measures do not uniquely determine a  $\triangle$ . There is not enough information to use either Law of Sines or Law of Cosines.

$$\begin{aligned}
 44. \quad c^2 &= a^2 + b^2 - 2ab \cos C \\
 &= a^2 + b^2 - 2ab \cos 90^\circ \\
 &= a^2 + b^2
 \end{aligned}$$

Law of Cosines simplifies to Pyth. Thm.

$$\begin{aligned}
 45. \quad \text{Let } \angle \text{ of turn be } \angle 1 \text{ and let } \angle 2 \text{ be opp. 6-km side.} \\
 6^2 &= 3^2 + 4^2 - 2(3)(4) \cos \angle 2 \\
 36 &= 25 - 24 \cos \angle 2 \\
 11 &= -24 \cos \angle 2 \\
 m\angle 2 &= \cos^{-1}\left(-\frac{11}{24}\right) \\
 m\angle 1 &= 180 - m\angle 2 \\
 &= 180 - \cos^{-1}\left(-\frac{11}{24}\right) \approx 63^\circ
 \end{aligned}$$



- 46. Step 1** Find 3rd side length. Think: Use Law of Cosines.

$$x^2 = 5^2 + 9^2 - 2(5)(9) \cos 109^\circ$$

$$\approx 135.3011$$

$$x \approx 11.6 \text{ cm}$$

Step 2 Find perimeter.

$$P \approx 5 + 9 + 11.6 \approx 25.6 \text{ cm}$$

- 47. Step 1** Find 2nd side length. Think: Use  $\triangle \angle$  Sum Thm., Law of Sines.

$$m\angle 3 = 180 - (93 + 24) = 63^\circ$$

$$\frac{\sin 63^\circ}{16} = \frac{\sin 24^\circ}{x}$$

$$x = \frac{16 \sin 24^\circ}{\sin 63^\circ} \approx 7.30 \text{ ft}$$

- Step 2** Find 3rd side length. Think: Use Law of Sines.

$$\frac{\sin 63^\circ}{16} = \frac{\sin 93^\circ}{y}$$

$$y = \frac{16 \sin 93^\circ}{\sin 63^\circ} \approx 17.93 \text{ ft}$$

**Step 3** Find perimeter.

$$P \approx 16 + 7.30 + 17.93 \approx 41.2 \text{ ft}$$

- 48. Step 1** Find 2nd side length. Think: Use Law of Sines.

$$\frac{\sin 45^\circ}{7.3} = \frac{\sin 115^\circ}{x}$$

$$x = \frac{7.3 \sin 115^\circ}{\sin 45^\circ} \approx 9.36 \text{ in.}$$

- Step 2** Find 3rd side length. Think: Use  $\triangle \angle$  Sum Thm., Law of Sines.

$$m\angle 3 = 180 - (45 + 115) = 20^\circ$$

$$\frac{\sin 45^\circ}{7.3} = \frac{\sin 20^\circ}{y}$$

$$y = \frac{7.3 \sin 20^\circ}{\sin 45^\circ} \approx 3.53 \text{ in.}$$

**Step 3** Find perimeter.

$$P = 7.3 + 9.36 + 3.53 \approx 20.2$$

**49.**




Figure shows two possible positions for  $C$ . Since  $\overline{BC} \cong \overline{BC'}$ ,  $\angle C \cong \angle BC'C$ , so  $\angle C$  and  $\angle BC'A$  are supp.

$$\frac{\sin C}{12} = \frac{\sin 30^\circ}{9}$$

$$m\angle C = \sin^{-1}\left(\frac{12 \sin 30^\circ}{9}\right) \approx 42^\circ$$

$$m\angle BC'A = 180 - m\angle C$$

$$\approx 180 - 42 \approx 138^\circ$$

- 50a.** Think: Use  $\triangle \angle$  Sum Thm.

$$m\angle F + 51 + 38 = 180$$

$$m\angle F + 89 = 180$$

$$m\angle F = 91^\circ$$

**b.**  $\frac{\sin 91^\circ}{18.3} = \frac{\sin 38^\circ}{AF}$

$$AF = \frac{18.3 \sin 38^\circ}{\sin 91^\circ}$$

$$\approx 11 \text{ mi}$$

$$\frac{\sin 91^\circ}{18.3} = \frac{\sin 51^\circ}{BF}$$

$$BF = \frac{18.3 \sin 51^\circ}{\sin 91^\circ}$$

$$\approx 14 \text{ mi}$$

- c.** Dist. = speed  $\cdot$  time

$$AF = 150t_1$$

$$BF = 150t_2$$

$$BF - AF = 150(t_1 - t_2)$$

$$t_1 - t_2 = \frac{BF - AF}{150}$$

$$\approx \frac{14.2 - 11.3}{150}$$

$$\approx 0.193 \text{ h or } 1.2 \text{ min}$$

- 51.** Given  $\angle$  is opp. one of given sides, so use Law of Sines.

- 52.** Given  $\angle$  is included by given sides, so use Law of Cosines.

- 53.** One of given  $\angle$  is opp. given side, so use Law of Sines.

**54a.**  $RS = \sqrt{3^2 + 2^2} = \sqrt{13} \approx 3.6$

$$ST = \sqrt{6^2 + 2^2} = \sqrt{40} = 2\sqrt{10} \approx 6.3$$

$$RT = \sqrt{3^2 + 4^2} = 5$$

- b.**  $\angle R$ , because it is opp. the longest side.

**c.**  $ST^2 = RS^2 + RT^2 - 2(RS)(RT) \cos R$

$$40 = 13 + 25 - 2(\sqrt{13})(5) \cos R$$

$$2 = -10\sqrt{13}(\cos R)$$

$$R = \cos^{-1}\left(-\frac{2}{10\sqrt{13}}\right) \approx 93^\circ$$

**55.**  $BC^2 = 6.46^2 + 7.14^2 - 2(6.46)(7.14) \cos 104^\circ$

$$\approx 115.12197$$

$$BC \approx 10.73 \text{ cm}$$

$$AB^2 = 3.86^2 + 7.14^2 - 2(3.86)(7.14) \cos 138^\circ$$

$$\approx 106.84194$$

$$AB \approx 10.34 \text{ cm}$$

$$\frac{\sin ABE}{3.86} \approx \frac{\sin 138^\circ}{10.34}$$

$$m\angle ABE \approx \sin^{-1}\left(\frac{3.86 \sin 138^\circ}{10.34}\right) \approx 14.47^\circ$$

$$\frac{\sin EBC}{6.46} \approx \frac{\sin 104^\circ}{10.73}$$

$$m\angle EBC \approx \sin^{-1}\left(\frac{6.46 \sin 104^\circ}{10.73}\right) \approx 35.74^\circ$$

$$m\angle ABC = m\angle ABE + m\angle EBC$$

$$\approx 14.47 + 35.74 \approx 50^\circ$$

- 56.** A is incorrect; possible answer: the fraction on the right side of the proportion is incorrect.

It should be  $\frac{\sin 70^\circ}{12} = \frac{\sin 85^\circ}{x}$ , as in B.

**57a.**  $y^2 + h^2$

**b.**  $b^2$

**c.**  $a^2 = c^2 - 2cx + x^2 + h^2$

**d.**  $a^2 = c^2 + b^2 - 2cx$

**e.**  $b \cos A$

**f.** Subst.

- 58.** No; possible answer: to use Law of Sines, you need to know at least 1 side length and  $\angle$  measure opp. that side.

# TEST PREP

59. A  
 $AB^2 = 12^2 + 14^2 - 2(12)(14)\cos 23^\circ$   
 $\approx 32.71$   
 $AB \approx 5.7$  cm  
 Nearest given value is 5.5 cm.

60. H

61. C  
 $m\angle Y = 180 - (25 + 135) = 20^\circ$   
 $\frac{\sin 20^\circ}{100} = \frac{\sin 25^\circ}{XY}$   
 $XY = \frac{100 \sin 25^\circ}{\sin 20^\circ} \approx 124$  m

# CHALLENGE AND EXTEND

62.  $AB^2 = AC^2 + BC^2 - 2(AC)(BC)\cos ACB$   
 $(2 + 3)^2 = (2 + 4)^2 + (3 + 4)^2$   
 $- 2(2 + 4)(3 + 4)\cos ACB$   
 $25 = 85 - 84\cos ACB$   
 $-60 = -84\cos ACB$   
 $m\angle ACB = \cos^{-1}\left(\frac{60}{84}\right) \approx 44^\circ$
63. Let pts. be  $A(-1, 1)$ ,  $B(1, 3)$ , and  $C(3, 2)$   
 $AB = \sqrt{2^2 + 2^2} = \sqrt{8}$ ;  $AC = \sqrt{4^2 + 1^2} = \sqrt{17}$ ;  
 $BC = \sqrt{2^2 + 1^2} = \sqrt{5}$   
 $BC^2 = AB^2 + AC^2 - 2(AB)(AC)\cos A$   
 $5 = 8 + 17 - 2(\sqrt{8})(\sqrt{17})\cos A$   
 $-20 = -4\sqrt{34}(\cos A)$   
 $m\angle A = \cos^{-1}\left(\frac{20}{4\sqrt{34}}\right) \approx 31^\circ$
64. Let  $P$  be position of boat after 45 min = 0.75 h.  
 Given information:  $AB = 5$  mi,  $AP = (6 \text{ mi/h})(0.75 \text{ h})$   
 $= 4.5$  mi,  $\angle A = 180 - 32 = 148^\circ$   
 $BP^2 = AB^2 + AP^2 - 2(AB)(AP)\cos A$   
 $= 5^2 + 4.5^2 - 2(5)(4.5)\cos 148^\circ$   
 $\approx 83.4122$   
 $BP \approx 9.1$  mi

# SPIRAL REVIEW


- |                                |                                     |
|--------------------------------|-------------------------------------|
| 65. $3n$                       | 66. $2n + 1$                        |
| 67. $2n + 2$                   | 68. Alt. Ext. $\triangle$ Thm.      |
| 69. Alt. Int. $\triangle$ Thm. | 70. Same-Side Int. $\triangle$ Thm. |
| 71. Alt. Ext. $\triangle$ Thm. | 72. $\angle 2$                      |
| 73. $\angle 1$                 | 74. $\angle 1$                      |

# 8-6 VECTORS, PAGES 559–567

# CHECK IT OUT!


- 1a. Horiz. change along  $\vec{u}$  is  $-3$  units.  
 Vert. change along  $\vec{u}$  is  $-4$  units.  
 So component form of  $\vec{u}$  is  $\langle -3, -4 \rangle$ .
- b. Horiz. change from  $L$  to  $M$  is 7 units.  
 Vert. change from  $L$  to  $M$  is 1 unit.  
 So component form of  $\vec{LM}$  is  $\langle 7, 1 \rangle$ .

2. **Step 1** Draw vector on a coord. plane. Use origin as initial pt. Then  $(-3, 1)$  is terminal pt.  
**Step 2** Find magnitude. Use Dist. Formula.




$$|\langle -3, 1 \rangle| = \sqrt{(-3 - 0)^2 + (1 - 0)^2} = \sqrt{10} \approx 3.2$$

3. **Step 1** Draw vector on a coord. plane. Use origin as initial pt.  
**Step 2** Find direction. Draw rt.  $\triangle ABC$  as shown.  $\angle A$  is  $\angle$  formed by vector and x-axis, and  $\tan A = \frac{3}{7}$ . So  
 $m\angle A = \tan^{-1}\left(\frac{3}{7}\right) \approx 23^\circ$



- 4a.  $\vec{PQ} = \vec{RS}$  (same magnitude and direction)  
 b.  $\vec{PQ} \parallel \vec{RS}$  and  $\vec{XY} \parallel \vec{MN}$  (same or opp. direction)
5. **Step 1** Sketch vectors for kayaker and current.




- Step 2** Write vector for kayaker in component form. It has magn. 4 mi/h and makes  $\angle$  of  $70^\circ$  with x-axis.  
 $\cos 70^\circ = \frac{x}{4}$ , so  $x = 4 \cos 70^\circ \approx 1.37$   
 $\sin 70^\circ = \frac{y}{4}$ , so  $y = 4 \sin 70^\circ \approx 3.76$

Kayaker's vector is  $\langle 1.37, 3.76 \rangle$ .

- Step 3** Write vector for current in component form:  $\langle 1, 0 \rangle$ .

- Step 4** Find and sketch resultant vector  $\vec{AB}$ . Add components of kayaker's vector and current's vector.  
 $\langle 1.37, 3.76 \rangle + \langle 1, 0 \rangle = \langle 2.37, 3.76 \rangle$



- Step 5** Find magn. and direction of resultant vector. Magn. of resultant vector is kayak's actual speed.  
 $|\langle 2.37, 3.76 \rangle| = \sqrt{(2.37 - 0)^2 + (3.76 - 0)^2} \approx 4.4$  mi/h  
 $\angle$  measure formed by resultant vector gives kayak's actual direction.  
 $\tan A \approx \frac{3.76}{2.37}$ , so  $m\angle A = \tan^{-1}\left(\frac{3.76}{2.37}\right) \approx 58^\circ$ , or N  $32^\circ$  E.

## THINK AND DISCUSS

1. It does not have a direction.
2. Pyth. Thm.
3. Possible answer: Write each vector in component form and add horizontal and vertical components.

|                                                                  |                                                           |
|------------------------------------------------------------------|-----------------------------------------------------------|
| Definition: a quantity with magnitude and direction              | Names: $\vec{v}$ , $\vec{AB}$ , or $\langle x, y \rangle$ |
| Examples: the velocity of a ship, the force applied to an object | Nonexamples: a line segment, speed                        |


### Vector

## EXERCISES

### GUIDED PRACTICE


1. equal
2. parallel
3. magnitude
4. Horiz. change from  $A$  to  $C$  is 5 units.  
Vert. change from  $A$  to  $C$  is 3 units.  
So component form of  $\vec{AC}$  is  $\langle 5, 3 \rangle$ .
5. Horiz. change from  $M$  to  $N$  is 8 units.  
Vert. change from  $M$  to  $N$  is  $-8$  units.  
So component form of  $\vec{MN}$  is  $\langle 8, -8 \rangle$ .
6. Horiz. change from  $P$  to  $Q$  is 2 units.  
Vert. change from  $P$  to  $Q$  is 5 units.  
So component form of  $\vec{PQ}$  is  $\langle 2, 5 \rangle$ .

7. **Step 1** Draw vector on a coord. plane. Use origin as initial pt. Then  $(1, 4)$  is terminal pt.  
**Step 2** Find magnitude. Use Dist. Formula.




$$|\langle 1, 4 \rangle| = \sqrt{(1-0)^2 + (4-0)^2} = \sqrt{17} \approx 4.1$$

8. **Step 1** Draw vector on a coord. plane. Use origin as initial pt. Then  $(-3, -2)$  is terminal pt.  
**Step 2** Find magnitude. Use Dist. Formula.




$$|\langle -3, -2 \rangle| = \sqrt{(-3-0)^2 + (-2-0)^2} = \sqrt{13} \approx 3.6$$

9. **Step 1** Draw vector on a coord. plane. Use origin as initial pt. Then  $(5, -3)$  is terminal pt.  
**Step 2** Find magnitude. Use Dist. Formula.




$$|\langle 5, -3 \rangle| = \sqrt{(5-0)^2 + (-3-0)^2} = \sqrt{34} \approx 5.8$$


10. **Step 1** Draw vector on a coord. plane. Use origin as initial pt.  
**Step 2** Find direction. Draw rt.  $\triangle ABC$  as shown.  $\angle A$  is  $\angle$  formed by vector and  $x$ -axis, and  $\tan A = \frac{6}{4}$ . So  
 $m\angle A = \tan^{-1}\left(\frac{6}{4}\right) \approx 56^\circ$




11. **Step 1** Draw vector on a coord. plane. Use origin as initial pt.  
**Step 2** Find direction. Draw rt.  $\triangle ABC$  as shown.  $\angle A$  is  $\angle$  formed by vector and  $x$ -axis, and  $\tan A = \frac{1}{5}$ . So  
 $m\angle A = \tan^{-1}\left(\frac{1}{5}\right) \approx 11^\circ$



12. **Step 1** Draw vector on a coord. plane. Use origin as initial pt.  
**Step 2** Find direction. Draw rt.  $\triangle ABC$  as shown.  $\angle A$  is  $\angle$  formed by vector and  $x$ -axis, and  $\tan A = \frac{3}{6}$ . So  
 $m\angle A = \tan^{-1}\left(\frac{3}{6}\right) \approx 27^\circ$



13.  $\vec{CD} = \vec{EF}$  (same magn. and direction)  
14.  $\vec{CD} \parallel \vec{EF}$  and  $\vec{AB} \parallel \vec{GH}$  (same or opp. direction)  
15.  $\vec{RS} = \vec{XY}$  (same magn. and direction)  
16.  $\vec{RS} \parallel \vec{XY}$  and  $\vec{MN} \parallel \vec{PQ}$  (same or opp. direction)  
17. **Step 1** Sketch vectors for 2 stages of hike.



- Step 2** Write vector for 1st stage in component form. It has magn. 2 mi and makes  $\angle$  of  $50^\circ$  with  $x$ -axis.


$$\cos 50^\circ = \frac{x}{2}, \text{ so } x = 2 \cos 50^\circ \approx 1.29$$

$$\sin 50^\circ = \frac{y}{2}, \text{ so } y = 2 \sin 50^\circ \approx 1.53$$

Vector for 1st stage is  $\langle 1.29, 1.53 \rangle$ .

- Step 3** Write vector for 2nd stage in component form:  $\langle 3, 0 \rangle$ .

- Step 4** Find and sketch resultant vector  $\vec{AB}$ . Add components of 1st- and 2nd-stage vectors.  
 $\langle 1.29, 1.53 \rangle + \langle 3, 0 \rangle = \langle 4.29, 1.53 \rangle$



- Step 5** Find magn. and direction of resultant vector. Magn. of resultant vector is straight-line dist. to campsite.

$$|\langle 4.29, 1.53 \rangle| = \sqrt{(4.29-0)^2 + (1.53-0)^2} \approx 4.6 \text{ mi}$$

$\angle$  measure formed by resultant vector gives direction of hike.

$$\tan A \approx \frac{1.53}{4.29}, \text{ so } m\angle A = \tan^{-1}\left(\frac{1.53}{4.29}\right) \approx 20^\circ, \text{ or N } 70^\circ \text{ E.}$$


# PRACTICE AND PROBLEM SOLVING

18.  $\langle 9, 2 \rangle$

19.  $\langle -3.5, 5.5 \rangle$


20.  $\langle -4, -4 \rangle$

21. **Step 1** Draw vector on a coord. plane. Use origin as initial pt.  
**Step 2** Find magnitude. Since vector is horiz.,




$$|\langle -2, 0 \rangle| = |-2| = 2.0$$

22. **Step 1** Draw vector on a coord. plane. Use origin as initial pt.  
**Step 2** Find magnitude. Use Pyth. Thm.




$$|\langle 1.5, 1.5 \rangle| = \sqrt{1.5^2 + 1.5^2} = \sqrt{4.5} \approx 2.1$$

23. **Step 1** Draw vector on a coord. plane. Use origin as initial pt.  
**Step 2** Find magnitude. Use Pyth. Thm.




$$|\langle 2.5, -3.5 \rangle| = \sqrt{2.5^2 + 3.5^2} = \sqrt{18.5} \approx 4.3$$


24. **Step 1** Draw vector on a coord. plane. Use origin as initial pt.  
**Step 2** Find direction.  $m\angle A = \tan^{-1}\left(\frac{1.5}{4}\right) \approx 21^\circ$



25. **Step 1** Draw vector on a coord. plane. Use origin as initial pt.  
**Step 2** Find direction.  $m\angle A = \tan^{-1}\left(\frac{2.5}{3.5}\right) \approx 36^\circ$



26. **Step 1** Draw vector on a coord. plane. Use origin as initial pt.  
**Step 2** Find direction.  $m\angle A = \tan^{-1}\left(\frac{5}{2}\right) \approx 68^\circ$



27.  $\overrightarrow{DE} = \overrightarrow{LM}$

28. All 4 vectors are  $\parallel$ .

29.  $\overrightarrow{RS} = \overrightarrow{UV}$

30.  $\overrightarrow{RS} \parallel \overrightarrow{UV} \parallel \overrightarrow{AB}$  and  $\overrightarrow{CD} \parallel \overrightarrow{XY}$

31. **Step 1** Write airplane's vector in component form.  $x = 200 \cos 65^\circ \approx 84.524$ ;  $y = 200 \sin 65^\circ \approx 181.262$   
 Airplane's vector is  $\langle 84.524, 181.262 \rangle$ .

**Step 2** Write windspeed vector in component form.  $x = 40 \cos 45^\circ \approx 28.284$ ;  $y = -40 \sin 45^\circ \approx -28.284$   
 Windspeed vector is  $\langle 28.284, -28.284 \rangle$ .

**Step 3** Find resultant vector  $\overrightarrow{AB}$ . Add components of airplane's and windspeed vectors.  
 $\langle 84.524, 181.262 \rangle + \langle 28.284, -28.284 \rangle$   
 $\approx \langle 112.81, 152.98 \rangle$

**Step 4** Find magn. and direction of resultant vector.

$$|\langle 112.81, 152.98 \rangle| = \sqrt{112.81^2 + 152.98^2} \approx 190.1 \text{ km/h}$$

$$m\angle A \approx \tan^{-1}\left(\frac{152.98}{112.81}\right) \approx 54^\circ, \text{ or N } 36^\circ \text{ E.}$$


32.  $\langle 1, 2 \rangle + \langle 0, 6 \rangle = \langle 1 + 0, 2 + 6 \rangle = \langle 1, 8 \rangle$

33.  $\langle -3, 4 \rangle + \langle 5, -2 \rangle = \langle -3 + 5, 4 + (-2) \rangle = \langle 2, 2 \rangle$

34.  $\langle 0, 1 \rangle + \langle 7, 0 \rangle = \langle 0 + 7, 1 + 0 \rangle = \langle 7, 1 \rangle$

35.  $\langle 8, 3 \rangle + \langle -2, -1 \rangle = \langle 8 + (-2), 3 + (-1) \rangle = \langle 6, 2 \rangle$

36. Yes; possible answer: if you use head-to-tail method in both orders, you end up with a  $\square$  and its diag. Resultant vector is the diag. See figures below.



- 37a. Let  $\overleftrightarrow{FG}$  be a vert. line. Use Alt. Int.  $\triangle$  Thm.  
 $m\angle F = m\angle GFH + m\angle GFX$   
 $= 45 + 53 = 98^\circ$

b.  $HX^2 = 50^2 + 41^2 - 2(50)(41) \cos 98^\circ$   
 $\approx 4751.6097$   
 $HX \approx 68.9 \text{ mi/h}$

c.  $\frac{\sin FHX}{41} \approx \frac{\sin 98^\circ}{68.9}$   
 $m\angle FHX \approx \sin^{-1}\left(\frac{41 \sin 98^\circ}{68.9}\right) \approx 36^\circ$

d. direction  $\approx 45 + 36 = 81^\circ$  E of N, or N  $81^\circ$  E

38.  $\langle 15 \cos 42^\circ, 15 \sin 42^\circ \rangle \approx \langle 11.1, 10.0 \rangle$

39.  $\langle 7.2 \cos 9^\circ, 7.2 \sin 9^\circ \rangle \approx \langle 7.1, 1.1 \rangle$

40. direction relative to x-axis  $= 90 - 57 = 33^\circ$   
 $\langle 12.1 \cos 33^\circ, 12.1 \sin 33^\circ \rangle \approx \langle 10.1, 6.6 \rangle$

41. direction relative to x-axis  $= 90 - 22 = 68^\circ$   
 $\langle 5.8 \cos 68^\circ, 5.8 \sin 68^\circ \rangle \approx \langle 2.2, 5.4 \rangle$


42a.  $10 \sin 45^\circ \approx 7.1 \text{ lb}$       b.  $10 \sin 75^\circ \approx 9.7 \text{ lb}$

c. Taneka; she applies more vert. force.

43a. Prob. of 1 on 1st draw is  $\frac{1}{4}$ ; prob. of then drawing 2 is  $\frac{1}{3}$ . So Prob.  $(\langle 1, 2 \rangle) = \frac{1}{4} \cdot \frac{1}{3} = \frac{1}{12}$ .

b. Prob. (vector  $\parallel$  to  $\langle 1, 2 \rangle$ )  
 $= \text{Prob.}(\langle 1, 2 \rangle \text{ or } \langle 2, 4 \rangle)$   
 $= \frac{1}{12} + \frac{1}{12} = \frac{1}{6}$

- 44a.  $\vec{a} - \vec{b} = \langle 4, -2 \rangle - \langle 2, -1 \rangle = \langle 2, -3 \rangle$   
 b.  $\vec{a} = \langle 4, -2 \rangle$   
 $-\vec{b} = \langle -2, -1 \rangle$   
 $\vec{a} + (-\vec{b})$  is shown below



45.  $|\vec{u}| = |4| = 4$   
 direction of  $\vec{u} = 0^\circ$
46.  $|\vec{v}| = |3| = 3$   
 direction of  $\vec{v} = 90^\circ$
47.  $|\vec{w}| = \sqrt{2^2 + 3^2} = \sqrt{13} \approx 3.6$   
 direction of  $\vec{w} = \tan^{-1}\left(\frac{3}{2}\right) \approx 56^\circ$
48.  $|\vec{z}| = \sqrt{4^2 + 1^2} = \sqrt{17} \approx 4.1$   
 direction of  $\vec{z} = \tan^{-1}\left(\frac{1}{4}\right) \approx 14^\circ$
49. Pass pattern vectors are  $\langle 0, 10 \rangle$  and  $\langle 10, 0 \rangle$ .  
 Resultant vector is  $\langle 0, 10 \rangle + \langle 10, 0 \rangle = \langle 10, 10 \rangle$ .  
 Magn. of resultant is  $\sqrt{10^2 + 10^2} = 10\sqrt{2}$ ;  
 Direction of resultant is  $\tan^{-1}\left(\frac{10}{10}\right) = 45^\circ$ .  
 Jason's move is equivalent to resultant.
- 50.–52. Possible answers given.
50. Think: Change sign of one component only.  
 $\langle 3, 6 \rangle$  has same magn. but different direction.  
 Think: Multiply both components by the same factor.  
 $\langle -6, 12 \rangle$  has same direction but different magn.
51.  $\langle -12, -5 \rangle$  has same magn. but different (opp.) direction.  
 $\langle 24, 10 \rangle$  has same direction but different magn.
52.  $\langle -8, 11 \rangle$  has same magn. but different (opp.) direction.  
 $\langle 4, -5.5 \rangle$  has same direction but different magn.
53.  $\vec{u} + \vec{v} = \langle 1 + 2.5, 2 + (-1) \rangle = \langle 3.5, 1 \rangle$   
 $|\vec{u} + \vec{v}| = \sqrt{3.5^2 + 1^2} = \sqrt{13.25} \approx 3.6$   
 direction of  $\vec{u} + \vec{v} = \tan^{-1}\left(\frac{1}{3.5}\right) \approx 16^\circ$
54.  $\vec{u} + \vec{v} = \langle -2 + 4.8, 7 + (-3.1) \rangle = \langle 2.8, 3.9 \rangle$   
 $|\vec{u} + \vec{v}| = \sqrt{2.8^2 + 3.9^2} = \sqrt{23.05} \approx 4.8$   
 direction of  $\vec{u} + \vec{v} = \tan^{-1}\left(\frac{3.9}{2.8}\right) \approx 54^\circ$
55.  $\vec{u} + \vec{v} = \langle 6 + (-2), 0 + 4 \rangle = \langle 4, 4 \rangle$   
 $|\vec{u} + \vec{v}| = \sqrt{4^2 + 4^2} = 4\sqrt{2} \approx 5.7$   
 direction of  $\vec{u} + \vec{v} = \tan^{-1}\left(\frac{4}{4}\right) = 45^\circ$
56.  $\vec{u} + \vec{v} = \langle -1.2 + 5.2, 8 + (-2.1) \rangle = \langle 4, 5.9 \rangle$   
 $|\vec{u} + \vec{v}| = \sqrt{4^2 + 5.9^2} = \sqrt{50.81} \approx 7.1$   
 direction of  $\vec{u} + \vec{v} = \tan^{-1}\left(\frac{5.9}{4}\right) \approx 56^\circ$
- 57a.  $\vec{v} = \langle 1, 3 \rangle$ ;  $2\vec{v} = \langle 2, 6 \rangle$

b.  $|\vec{v}| = \sqrt{1^2 + 3^2} = \sqrt{10}$ ;  $|2\vec{v}| = \sqrt{2^2 + 6^2} = 2\sqrt{10}$   
 $2\vec{v}$  is twice the magnitude of  $\vec{v}$ .

c. direction of  $\vec{v} = \tan^{-1}\left(\frac{3}{1}\right) = 72^\circ$

direction of  $2\vec{v} = \tan^{-1}\left(\frac{6}{2}\right) = \tan^{-1}\left(\frac{3}{1}\right) = 72^\circ$   
 Directions are the same.

d. Multiply each component by  $k$ .

e.  $-\vec{v} = (-1)\vec{v} = (-1)\langle x, y \rangle$   
 $= \langle (-1)x, (-1)y \rangle = \langle -x, -y \rangle$

58. If  $u > v$ , resultant points due west, with magn.  $u - v$ .  
 If  $v > u$ , resultant points due east, with magn.  $v - u$ .  
 If  $u = v$ , resultant is  $\langle 0, 0 \rangle$ .

59. A line seg. has magnitude (or length), but no direction. A ray is a part of a line that continues indefinitely in one direction. Thus it has direction and infinite magnitude. A vector has both direction and magnitude.

### TEST PREP

60. C  
 $\vec{w} = (-2)\langle 2, 1 \rangle$

61. G  
 $\tan^{-1}\left(\frac{9}{7}\right) \approx 52^\circ$

62. C  
 $\sqrt{5^2 + 11^2} = \sqrt{146} \approx 12$

63. 8.2  
 $|\vec{AB}| = \sqrt{(-5 + 3)^2 + (-2 - 6)^2} = \sqrt{68} \approx 8.2$

### CHALLENGE AND EXTEND

64.  $\langle -2, 3 \rangle$  is in 2nd quadrant, so direction is between  $90^\circ$  and  $180^\circ$ .  
 direction  $= 180 + \tan^{-1}\left(\frac{3}{-2}\right) \approx 124^\circ$

65.  $\langle -4, 0 \rangle$  lies along negative  $x$ -axis, so direction  $= 180^\circ$ .

66.  $\langle -5, -3 \rangle$  is in 3rd quadrant, so direction is between  $180^\circ$  and  $270^\circ$ .  
 direction  $= 180 + \tan^{-1}\left(\frac{-3}{-5}\right) \approx 211^\circ$


67. Let  $\vec{v} = \langle x, y \rangle$  be required velocity vector. Then  
 $\langle x, y \rangle + \langle 4, 0 \rangle = \langle 10\cos 20^\circ, 10\sin 20^\circ \rangle$   
 $x + 4 = 10\cos 20^\circ$   
 $x = 10\cos 20^\circ - 4 \approx 5.40$  mi/h  
 $y = 10\sin 20^\circ \approx 3.42$  mi/h  
 $|\vec{v}| = \sqrt{5.40^2 + 3.42^2} \approx 6.4$  mi/h  
 bearing  $= \tan^{-1}\left(\frac{3.42}{5.40}\right) \approx 32^\circ$ , or N  $58^\circ$  E

68.  $\vec{v} = \langle x, y \rangle = \langle 3\cos 60^\circ, 3\sin 60^\circ \rangle + \langle 6\cos 40^\circ, 6\sin 40^\circ \rangle$   
 $x = 3\cos 60^\circ + 6\cos 40^\circ \approx 10.56$  km  
 $y = 3\sin 60^\circ + 6\sin 40^\circ \approx 5.17$  km  
 $|\vec{v}| = \sqrt{10.56^2 + 5.17^2} \approx 11.8$  km  
 bearing  $= \tan^{-1}\left(\frac{5.17}{10.56}\right) \approx 26^\circ$ , or N  $64^\circ$  E

# SPIRAL REVIEW


$$69. \begin{cases} x - y = -5 \\ y = 3x + 1 \end{cases} \rightarrow \begin{cases} y = x + 5 \\ y = 3x + 1 \end{cases}$$

Lines intersect at (2, 7).




$$70. \begin{cases} x - 2y = 0 \\ 2y + x = 8 \end{cases} \rightarrow \begin{cases} y = 0.5x \\ y = -0.5x + 4 \end{cases}$$

Lines intersect at (4, 2).



$$71. \begin{cases} x + y = 5 \\ 3y + 15 = 2x \end{cases} \rightarrow \begin{cases} y = -x + 5 \\ y = \frac{2}{3}x - 5 \end{cases}$$

Lines intersect at (6, -1).



$$72. NP = 3JL \quad 73. \text{Area} = (3)^2(6) \\ \text{Perim.} = 3(12) = 36 \text{ cm} \quad = 54 \text{ cm}^2$$

$$74. BC^2 = 3.5^2 + 4^2 - 2(3.5)(4)\cos 50^\circ \\ \approx 10.2519 \\ BC \approx 3.2$$

$$75. \frac{\sin B}{4} \approx \frac{\sin 50^\circ}{3.20} \\ m\angle B \approx \sin^{-1}\left(\frac{4\sin 50^\circ}{3.20}\right) \approx 73^\circ$$

$$76. m\angle C \approx 180 - (50 + 73) \approx 57^\circ$$

## READY TO GO ON? PAGE 569

$$1. \text{By Alt. Int. } \triangle \text{ Thm., dist.} = \frac{1600}{\tan 34^\circ} \approx 2372 \text{ ft.}$$

$$2. \text{height} = 6 \tan 78^\circ \approx 28.2 \text{ m}$$

$$3. \frac{\sin A}{14} = \frac{\sin 118^\circ}{20} \\ A = \sin^{-1}\left(\frac{14\sin 118^\circ}{20}\right) \approx 38^\circ$$

$$4. \frac{\sin 41^\circ}{7} = \frac{\sin 84^\circ}{GH} \\ GH = \frac{7\sin 84^\circ}{\sin 41^\circ} \approx 10.6$$


$$5. m\angle X = 180 - (92 + 62) = 26^\circ \\ \frac{\sin 26^\circ}{8} = \frac{\sin 92^\circ}{XZ} \\ XZ = \frac{8\sin 92^\circ}{\sin 26^\circ} \approx 18.2$$

$$6. UV^2 = 12^2 + 9^2 - 2(12)(9)\cos 35^\circ \\ \approx 48.0632 \\ UV \approx 6.9$$


$$7. 4^2 = 5^2 + 6^2 - 2(5)(6)\cos F \\ 16 = 61 - 60\cos F \\ -45 = -60\cos F \\ m\angle F = \cos^{-1}\left(\frac{45}{60}\right) \approx 41^\circ$$

$$8. QS^2 = 10.5^2 + 6^2 - 2(10.5)(6)\cos 39^\circ \\ \approx 48.3296 \\ QS \approx 7.0$$


$$9. |\langle 3, 1 \rangle| = \sqrt{3^2 + 1^2} \\ = \sqrt{10} \approx 3.2$$




$$10. |\langle -2, -4 \rangle| = \sqrt{2^2 + 4^2} \\ = \sqrt{20} \\ \approx 4.5$$




$$11. |\langle 0, 5 \rangle| = |5| = 5$$




$$12. \text{direction} = \tan^{-1}\left(\frac{1}{2}\right) \\ \approx 27^\circ$$



$$13. \text{direction} = \tan^{-1}\left(\frac{3}{5}\right) \\ \approx 31^\circ$$



$$14. \text{direction} = \tan^{-1}\left(\frac{4}{4}\right) \\ = 45^\circ$$



$$15. \text{Let } \langle x, y \rangle \text{ be resultant vector.} \\ \langle x, y \rangle = \langle 6\sin 32^\circ, 6\cos 32^\circ \rangle + \langle 8, 0 \rangle \\ x = 6\sin 32^\circ + 8 \approx 11.18 \text{ km} \\ y = 6\cos 32^\circ \approx 5.09 \text{ km} \\ \text{dist.} = \sqrt{11.18^2 + 5.09^2} \approx 12.3 \text{ km} \\ \text{direction} = \tan^{-1}\left(\frac{5.09}{11.18}\right) \approx 24^\circ, \text{ or N } 66^\circ \text{ E}$$

## STUDY GUIDE: REVIEW, PAGES 572-575

### VOCABULARY

1. component form
2. equal vectors
3. geometric mean
4. angle of elevation
5. trigonometric ratio

### LESSON 8-1

6.  $\triangle PRQ \sim \triangle RSQ \sim \triangle PSR$

7.  $x^2 = \left(\frac{1}{4}\right)(100) = 25$   
 $x = \sqrt{25} = 5$

8.  $x^2 = (3)(17) = 51$   
 $x = \sqrt{51}$

9.  $x^2 = (5)(7) = 35$   
 $x = \sqrt{35}$

10.  $6^2 = (x)(12)$   
 $36 = 12x$   
 $x = 3$

$y^2 = 5(5 + 7) = 60$   
 $y = \sqrt{60} = 2\sqrt{15}$

$y^2 = (3)(3 + 12) = 45$   
 $y = \sqrt{45} = 3\sqrt{5}$

$z^2 = 7(5 + 7) = 84$   
 $z = \sqrt{84} = 2\sqrt{21}$

$z^2 = (12)(3 + 12) = 180$   
 $z = \sqrt{180} = 6\sqrt{5}$

11.  $(\sqrt{6})^2 = (1)(1 + x)$   
 $6 = 1 + x$   
 $x = 5$

$y^2 = (1)(5) = 5$   
 $y = \sqrt{5}$

$z^2 = (5)(1 + 5) = 30$   
 $z = \sqrt{30}$

### LESSON 8-2

12.  $\sin 80^\circ = \frac{11}{UV}$   
 $UV = \frac{11}{\sin 80^\circ}$   
 $\approx 11.17 \text{ m}$

13.  $\cos 29^\circ = \frac{PR}{7.2}$   
 $PR = 7.2 \cos 29^\circ$   
 $\approx 6.30 \text{ m}$

14.  $\cos 33^\circ = \frac{XY}{12.3}$   
 $XY = 12.3 \cos 33^\circ$   
 $\approx 10.32 \text{ cm}$

15.  $\tan 47^\circ = \frac{1.4}{JL}$   
 $JL = \frac{1.4}{\tan 47^\circ}$   
 $\approx 1.31 \text{ cm}$

### LESSON 8-3

16.  $m\angle C = 90 - 22 = 68^\circ$   
 $AB = 5.2 \cos 22^\circ \approx 4.82$   
 $AC = 5.2 \sin 22^\circ \approx 1.95$

17.  $m\angle H = \tan^{-1}\left(\frac{4.7}{3.5}\right) \approx 53^\circ$   
 $m\angle G \approx 90 - 53 \approx 37^\circ$   
 $HG = \sqrt{3.5^2 + 4.7^2} \approx 5.86$

18.  $m\angle S = 90 - 50 = 40^\circ$   
 $RS = \frac{32.5}{\sin 50^\circ} \approx 42.43$   
 $RT = \frac{32.5}{\tan 50^\circ} \approx 27.27$

19.  $m\angle Q = \tan^{-1}\left(\frac{8.6}{9.9}\right) \approx 41^\circ$   
 $m\angle N \approx 90 - 41 \approx 49^\circ$   
 $QN = \sqrt{9.9^2 + 8.6^2} \approx 13.11$

### LESSON 8-4

20.  $\angle$  of depression      21.  $\angle$  of elevation  
 22. height =  $5.1 \tan 82^\circ \approx 36 \text{ ft}$   
 23. horiz. dist. =  $\frac{32}{\tan 4^\circ} \approx 458 \text{ m}$

### LESSON 8-5

24.  $\frac{\sin Z}{4} = \frac{\sin 40^\circ}{7}$   
 $m\angle Z = \sin^{-1}\left(\frac{4 \sin 40^\circ}{7}\right)$   
 $\approx 22^\circ$

25.  $\frac{\sin 23^\circ}{16} = \frac{\sin 130^\circ}{MN}$   
 $MN = \frac{16 \sin 130^\circ}{\sin 23^\circ}$   
 $\approx 31.4$

26.  $EF^2 = 14^2 + 12^2 + 2(14)(12) \cos 101^\circ$   
 $\approx 404.1118$   
 $EF \approx 20.1$

27.  $10^2 = 6^2 + 12^2 - 2(6)(12) \cos Q$   
 $100 = 180 - 144 \cos Q$   
 $-80 = -144 \cos Q$   
 $m\angle Q = \cos^{-1}\left(\frac{80}{144}\right) \approx 56^\circ$


### LESSON 8-6

28.  $\overrightarrow{AB} = \langle -2 - 5, 3 - 1 \rangle = \langle -7, 2 \rangle$


29.  $\overrightarrow{MN} = \langle -1 - (-2), -2 - 4 \rangle = \langle 1, -6 \rangle$

30.  $\overrightarrow{RS} = \langle -2, -5 \rangle$


31.  $|\langle -5, -3 \rangle| = \sqrt{5^2 + 3^2}$   
 $= \sqrt{34} \approx 5.8$




32.  $|\langle -2, 0 \rangle| = |2| = 2$




33.  $|\langle 4, -4 \rangle| = \sqrt{4^2 + 4^2}$   
 $= \sqrt{32} \approx 5.7$



34. direction =  $\tan^{-1}\left(\frac{5}{4}\right)$   
 $= 51^\circ$



35. direction =  $\tan^{-1}\left(\frac{2}{7}\right)$   
 $= 16^\circ$






36. plane's vector =  $\langle 600 \cos 35^\circ, 600 \sin 35^\circ \rangle$   
 crosswind vector =  $\langle 50, 0 \rangle$   
 resultant vector =  $\langle 600 \cos 35^\circ + 50, 600 \sin 35^\circ \rangle$   
 $\approx \langle 541.49, 344.15 \rangle$   
 speed  $\approx \sqrt{541.49^2 + 344.15^2} \approx 641.6$  mi/h  
 direction  $\approx \tan^{-1}\left(\frac{344.15}{541.49}\right) \approx 32^\circ$ , or N  $58^\circ$  E


## CHAPTER TEST, PAGE 576

- $4^2 = (x)(8)$   $y^2 = 8(2 + 8) = 80$   
 $16 = 8x$   $y = \sqrt{80} = 4\sqrt{5}$   
 $x = 2$
- $x^2 = 2(2 + 8) = 20$   
 $z^2 = 2(2 + 8) = 20$   
 $z = \sqrt{20} = 2\sqrt{5}$
- $x^2 = (6)(12) = 72$   $y^2 = 12(6 + 12) = 216$   
 $x = \sqrt{72} = 6\sqrt{2}$   $y = \sqrt{216} = 6\sqrt{6}$   
 $z^2 = 6(6 + 12) = 108$   
 $z = \sqrt{108} = 6\sqrt{3}$
- $(2\sqrt{30})^2 = 10(10 + x)$   $y^2 = (2)(10) = 20$   
 $120 = 100 + 10x$   $y = \sqrt{20} = 2\sqrt{5}$   
 $20 = 10x$   
 $x = 2$
- $z^2 = 2(2 + 10) = 24$   
 $z = \sqrt{24} = 2\sqrt{6}$
- Let  $30^\circ$ - $60^\circ$ - $90^\circ$   $\triangle$  have sides  $x, x\sqrt{3}, 2x$ .  
 $\cos 60^\circ = \frac{x}{2x} = \frac{1}{2}$
- Let  $45^\circ$ - $45^\circ$ - $90^\circ$   $\triangle$  have sides  $s, s, s\sqrt{2}$ .  
 $\sin 45^\circ = \frac{s}{s\sqrt{2}} = \frac{\sqrt{2}}{2}$
- $\tan 60^\circ = \frac{x\sqrt{3}}{x} = \sqrt{3}$
- $PR = 4.5 \sin 18^\circ \approx 1.39$  m
- $AB = \frac{9}{\cos 51^\circ} \approx 14.30$  cm
- $FG = \frac{6.1}{\tan 34^\circ} \approx 9.04$  in.
- $m\angle = \tan^{-1}\left(\frac{3.5}{10}\right) \approx 19^\circ$
- horiz. dist. =  $\frac{910}{\tan 61^\circ} \approx 504$  ft
- $\frac{\sin B}{4} = \frac{\sin 85^\circ}{9}$   
 $m\angle B = \sin^{-1}\left(\frac{4 \sin 85^\circ}{9}\right) \approx 26^\circ$
- $\frac{\sin 35^\circ}{11} = \frac{\sin 108^\circ}{RS}$   
 $RS = \frac{11 \sin 108^\circ}{\sin 35^\circ} \approx 18.2$
- $7^2 = 10^2 + 15^2 - 2(10)(15) \cos M$   
 $49 = 325 - 300 \cos M$   
 $-276 = -300 \cos M$   
 $m\angle M = \cos^{-1}\left(\frac{276}{300}\right) \approx 23^\circ$


15.  $|\langle 1, 3 \rangle| = \sqrt{1^2 + 3^2} = \sqrt{10} \approx 3.2$




16.  $|\langle -4, 1 \rangle| = \sqrt{4^2 + 1^2} = \sqrt{17} \approx 4.1$




17.  $|\langle 2, -3 \rangle| = \sqrt{2^2 + 3^2} = \sqrt{13} \approx 3.6$



18. direction =  $\tan^{-1}\left(\frac{5}{3}\right) = 59^\circ$



19. direction =  $\tan^{-1}\left(\frac{1}{4}\right) = 14^\circ$



20. boat's vector =  $\langle 3.5 \cos 50^\circ, 3.5 \sin 50^\circ \rangle$   
 current's vector =  $\langle 2, 0 \rangle$   
 resultant vector =  $\langle 3.5 \cos 50^\circ + 2, 3.5 \sin 50^\circ \rangle$   
 $\approx \langle 4.25, 2.68 \rangle$   
 speed  $\approx \sqrt{4.25^2 + 2.68^2} \approx 5.0$  mi/h  
 direction  $\approx \tan^{-1}\left(\frac{2.68}{4.25}\right) \approx 32^\circ$ , or N  $58^\circ$  E